



BETORAST

Technical Data Sheet





Strongly acidified product designed for removing rust, limescale and cement from acidic-proof substances. Contains corrosion inhibitors. Dedicated for removing concrete from mechanical vehicles and specialized construction vehicles. Recommended for thorough cleaning. Contains hydrochloric acid.

APPLICATION:

- construction equipment, concrete mixers, specialist equipment

COMPOSITION:

- > 25% hydrochloric acid- < 5% anionic surfactants

- auxiliary substances

USAGE:

Before using, read product's safety data sheet.

- remove excess concrete with high-pressure water.
- create a 1:5 1:10 solution with water
- spray it on the surface and leave it for a few minutes
- thoroughly wash the surface with high-pressure water
- never let the working solution dry off on its own

Warning: Do not use on chrome, nickel or enamelled surfaces.

Using concentrate as a working solution is possible after thorough analysis of the cleaned surface, but it is advised to perform durability test of the material.

tel. +48 91 311 97 77 fax. +48 91 311 97 79

E-mail: info@tenzi.pl, www.tenzi.pl



BETORAST

Technical Data Sheet

CLASSIFICATION OF THE MIXTURE:



Signal words:

DANGER

Hazard statements:

H290 – May be corrosive to metals.

H314 - Causes severe skin burns and eye damage.

H335 – May cause respiratory irritation.

Precautionary statements:

P271 – Use only outdoors or in a well-ventilated area.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. – IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water [or shower].

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 - Immediately call a POISON CENTER/doctor

P405 - Store locked up.

SELL-BY DATE:

36 months from the production date.

Production date/series and expiration date are stated on the packaging.

tel. +48 91 311 97 77 fax. +48 91 311 97 79

E-mail: info@tenzi.pl, www.tenzi.pl



BETORAST

Technical Data Sheet

ADDITIONAL INFORMATION:

Additional information can be found in safety data sheet.

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

tel. +48 91 311 97 77 fax. +48 91 311 97 79

E-mail: info@tenzi.pl, www.tenzi.pl