


ALUX STRONG

Technical Data Sheet



SYMBOL	pH
A-08	1

Acidic, anti-corrosive product, designed for periodic washing of the strongly contaminated, corroding elements from aluminum, its alloys, light metal alloys and stainless steel.

APPLICATION:

- highly contaminated aluminum elements (wheel rims, broadsides) in trucks.

COMPOSITION:

- < 20% hydrofluoric acid

USAGE:

Before using, read product's safety data sheet.

Create a 1:3 - 1:10 solution with water. Spray the surface you want to clean and wash it with pressured water.

Warning: Dangerous product! Roughens glassy surfaces.

ALUX STRONG

Technical Data Sheet

DANGER:



- Fatal if swallowed or in contact with skin
- Toxic if swallowed or if inhaled
- Causes severe skin burns and eye damage.
- Do not eat, drink or smoke when using this product.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- IF SWALLOWED: Immediately call a POISON CENTER/doctor
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.

SELL-BY DATE:

36 months from the production date.

Production date/series and expiration date are stated on the packaging.

ADDITIONAL INFORMATION:

Additional information can be found in safety data sheet.

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

ALUX STRONG

Technical Data Sheet

Disposal should be in accordance with the national/international regulations