


SUPER GREEN SPECJAL NF

Technical Data Sheet





Low-foaming, alkaline product with wide range of use. Recommended for cleaning strongly polluted and neglected industrial floors with petroleum contaminations. Very effective for using in warehouses and heavy industry. Use with cold water.

APPLICATION:

- warehouses, car service, underground garages, production halls, fuel stations

COMPOSITION:

- < 7% sodium hydroxide
- 5-15% anionic surfactants
- < 5% non-ionic surfactants
- < 5% cationic surfactants

- < 5% phosphonates

- auxiliary substances not classified as dangerous

USAGE:

Read product's safety data sheet before using.

Depending on the contamination level of the surface, use 50-200 ml / 10 l of water for daily cleaning and 500-1000 ml / 10 l of water for thorough cleaning.

After cleaning, wash the surface with water.

When cleaning the surface by spraying, use at least 5% solution.

tel. +48 91 311 97 77 fax. +48 91 311 97 79

E-mail: info@tenzi.pl, www.tenzi.pl



SUPER GREEN SPECJAL NF

Technical Data Sheet

DANGER:



- Causes severe skin burns and eye damage.
 Harmful to aquatic life with long lasting effects.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER/doctor
- Store locked up.

SELL-BY DATE:

36 months from the production date.

Production date/series and expiration date are stated on the packaging.

ADDITIONAL INFORMATION:

Additional information can be found in safety data sheet.

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations

tel. +48 91 311 97 77 fax. +48 91 311 97 79

E-mail: info@tenzi.pl, www.tenzi.pl