



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**
Substance / mixture Top Efekt CONTRA mixture
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**
Mixture's intended use
Product designed for cleaning highly contaminated surfaces (warehouse halls, hypermarkets, industrial areas, food processing departments etc.). Removes all kinds of protective layers (polymeric, acrylic).
Mixture uses advised against
not available
- 1.3. Details of the supplier of the safety data sheet**
Manufacturer
Name or trade name TENZI Sp. z o.o.
Address Skarbimierzyce 20, Dołuje, 72-002 Poland
VAT Reg No PL8512583405
Phone +48 91 3119777
E-mail info@tenzi.pl
Web address www.tenzi.pl
- Competent person responsible for the safety data sheet**
Name technolog@tenzi.pl
E-mail technolog@tenzi.pl
- 1.4. Emergency telephone number**
European emergency number: 112

SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**
Classification of the mixture in accordance with Regulation (EC) No 1272/2008
The mixture is classified as dangerous.

Skin Corr. 1A, H314
Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes severe skin burns and eye damage. Causes serious eye damage.

- 2.2. Label elements**
Hazard pictogram



Signal word
Danger

Hazardous substances

sodium hydroxide

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of container to properly labeled waste containers in accordance with national regulations.

Supplemental information

5-<15 % non-ionic surfactants, <5 % phosphonates, <5 % anionic surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 15763-76-5 EC: 239-854-6 Registration number: 01-2119489411-37-XXXX	Sodium cumene sulfonate	<7	Eye Irrit. 2, H319	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27-XXXX	sodium hydroxide	<7	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: C ≥ 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 % Skin Irrit. 2, H315: 0,5 % ≤ C < 2 %	
CAS: 160901-19-9 EC: 931-954-4 Registration number: polimer	Alcohols, C12-13, ethoxylated	<7	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 1 % < C ≤ 10 %	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44-XXXX	2-(2-butoxyethoxy)ethanol	<1,5	Eye Irrit. 2, H319	1, 2



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0	
Revision date	25th March 2022			
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33-XXXX	potassium hydroxide	<1	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % ≤ C < 2 % Skin Corr. 1A, H314: C ≥ 5 % Skin Corr. 1B, H314: 2 % ≤ C < 5 % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 %	
Index: 014-010-00-8 CAS: 10213-79-3 EC: 229-912-9 Registration number: 01-2119449811-37-XXXX	sodium metasilicate	<1	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	

Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the induced vomiting can cause complications as in case of detergents and other foaming substances.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Union

Commission Directive 2006/15/EC

Substance name (component)	Type	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	67,5 mg/m ³
	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL

2-(2-butoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	20 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Local chronic effects		SDS
Consumers	Inhalation	50.6 mg/l	Local acute effects		SDS
Consumers	Dermal	10 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	3 mg/l	Systemic chronic effects		SDS
Consumers	Oral	1.25 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	34 mg/l	Local chronic effects		SDS

potassium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Inhalation	1 mg/m ³	Local chronic effects		SDS
Consumers	Inhalation	1 mg/l	Local chronic effects		SDS

Sodium cumene sulfonate

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	7.6 mg/kg bw/day	Systemic chronic effects		karta charakterystyki
Workers	Inhalation	53.6 mg/m ³	Systemic chronic effects		karta charakterystyki
Consumers	Dermal	3.8 mg/kg bw/day	Systemic chronic effects		karta charakterystyki
Consumers	Inhalation	13.2 mg/m ³	Systemic chronic effects		karta charakterystyki
Consumers	Oral	3.8 mg/kg bw/day	Systemic chronic effects		karta charakterystyki

sodium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Inhalation	1.0 mg/m ³	Local chronic effects		SDS
Consumers	Inhalation	1.0 mg/m ³	Local chronic effects		SDS



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

sodium metasilicate

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Inhalation	6.22 mg/m ³	Systemic chronic effects		
Consumers	Inhalation	1.55 mg/m ³	Systemic chronic effects		
Consumers	Oral	0.74 mg/kg/24h our	Systemic chronic effects		
Workers	Dermal	1.49 mg/kg/24h our	Systemic chronic effects		
Consumers	Dermal	0.74 mg/kg/24h our	Systemic chronic effects		

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Determining method
Drinking water	1 mg/l	
Seawater	0.1 mg/l	
Freshwater sediment	4 mg/kg	
Sea sediments	0.4 mg/kg	
Soil (agricultural)	0.4 mg/kg	
Microorganisms in wastewater treatment plants	200 mg/l	
Oral	56 mg/kg	

Sodium cumene sulfonate

Route of exposure	Value	Determining method
Drinking water	0.23 mg/l	
Microorganisms in wastewater treatment plants	100 mg/l	
	2.3 mg/l	

sodium metasilicate

Route of exposure	Value	Determining method
Drinking water	7.5 mg/l	
Seawater	1 mg/l	
Water (intermittent release)	7.5 mg/l	
Microorganisms in wastewater treatment plants	1000 mg/l	

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

Respiratory protection

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	straw
Odour	Characteristic for the materials used
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	14 (undiluted at 20 °C)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Relative density	1,130 g/cm ³ (+-) 0,020
Form	straw-colored liquid

9.2. Other information

not available

SECTION 10: Stability and reactivity

10.1. Reactivity

not available

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Acute toxicity

Based on available data the classification criteria are not met.

2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	2410 mg/kg		Mouse		SDS
Dermal	LD ₅₀	2764 mg/kg		Rabbit		SDS

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	>300-2000 mg/kg		Rat (<i>Rattus norvegicus</i>)		karta charakterystyki
Skin	LD ₅₀	>2000 mg/kg		Rabbit	F/M	karta charakterystyki

potassium hydroxide

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	273 mg/kg		Rat		SDS

Sodium cumene sulfonate

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	>7000 mg/kg		Rat (<i>Rattus norvegicus</i>)		karta charakterystyki
Dermal	LD ₅₀	>2000 mg/kg		Rabbit		karta charakterystyki

sodium hydroxide

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Intraperitoneally	LD ₅₀	40 mg/kg		Mouse		SDS
Oral	LDL0	500 mg/kg		Rabbit		SDS
Oral	TDLo	44 mg/kg		Rat (<i>Rattus norvegicus</i>)		SDS

sodium metasilicate

Route of exposure	Parameter	Value	Time of exposure	Species	Sex	Source
Oral	LD ₅₀	1152-1349 mg/kg		Rat		
Inhalation (vapor)	LC ₅₀	>2.06 mg/m ³		Rat		
Skin	LD ₅₀	>5000 mg/kg		Rat		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Method	Time of exposure	Species	Source
Skin	Not irritating			Rabbit	karta charakterystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Sodium cumene sulfonate

Route of exposure	Result	Method	Time of exposure	Species	Source
	Slightly irritating	OECD 404		Rabbit	karta charakterystyki

sodium metasilicate

Route of exposure	Result	Method	Time of exposure	Species	Source
	Corrosive				

Serious eye damage/irritation

Causes serious eye damage.

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Method	Time of exposure	Species	Source
Eye	Serious eye damage			Rabbit	karta charakterystyki

Sodium cumene sulfonate

Route of exposure	Result	Method	Time of exposure	Species	Source
Eye	Irritating	OECD 405		Rabbit	karta charakterystyki

sodium metasilicate

Route of exposure	Result	Method	Time of exposure	Species	Source
	Serious eye damage				

Sensitization

Sodium cumene sulfonate

Route of exposure	Result	Method	Time of exposure	Species	Sex	Source
Dermal	No effect	OECD 406		Guinea-pig (Cavia aperea f. porcellus)		karta charakterystyki

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Result	Time of exposure	Species	Sex	Source
Skin	No effect		Guinea-pig (Cavia aperea f. porcellus)	F/M	karta charakterystyki

sodium metasilicate

Route of exposure	Result	Time of exposure	Species	Sex	Source
	Not sensitizing				



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Mutagenicity

Sodium cumene sulfonate

Result	Time of exposure	Specific target organ	Species	Sex	Source
No effect					karta charakterystyki

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Result	Method	Time of exposure	Specific target organ	Species	Sex	Source
No effect	in vivo				F/M	karta charakterystyki

Sodium cumene sulfonate

Result	Method	Time of exposure	Specific target organ	Species	Sex	Source
Not carcinogenic	OECD 453			Rat (<i>Rattus norvegicus</i>)		karta charakterystyki

Carcinogenicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Source
			Not carcinogenic		F/M	karta charakterystyki

Reproductive toxicity

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Effect	Parameter	Method	Value	Result	Species	Sex	Source
		in vitro		No effect		F/M	karta charakterystyki
Effects on fertility				No effect		F/M	karta charakterystyki

Sodium cumene sulfonate

Effect	Parameter	Method	Value	Result	Species	Sex	Source
	NOEL		>936 mg/kg	No effect	Rat (<i>Rattus norvegicus</i>)		karta charakterystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Result	Species	Sex	Source
			No effect			karta charakterystyki

sodium metasilicate

Route of exposure	Parameter	Value	Result	Species	Sex	Source
			Irritating			

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Alcohols, C12-13, ethoxylated

Route of exposure	Parameter	Value	Time of exposure	Specific target organ	Result	Species	Sex	Source
Oral	NOAEL	50 mg/kg	2 year	Heart	Reduced body weight	Rat (Rattus norvegicus)	F/M	karta charakterystyki

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LC ₅₀		1300 mg/l		Fishes (Lepomis macrochirus)			SDS
EC ₅₀		>100 mg/l		Aquatic invertebrates (Daphnia magna)			SDS
EC ₅₀	OECD 201	>100 mg/l		Algae (Scenedesmus subspicatus)			SDS
EC 10	OECD 209	>1995 mg/l					SDS

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LC ₅₀	OECD 203	>1-10 mg/l	96 hour	Fishes (Poecilia reticulata)		Literary studies	karta charakterystyki



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC ₅₀	OECD 202	>1-10 mg/l	48 hour	Daphnia (Daphnia magna)		Literary studies	karta charakterystyki
EC ₅₀	OECD 201	>1-10 mg/l	72 hour	Algae (Selenastrum capricornutum)		Literary studies, Observation method, Indicator of growth	karta charakterystyki
NOEC	OECD 201	>1-10 mg/l	72 hour	Algae (Selenastrum capricornutum)		Literary studies, Indicator of growth	karta charakterystyki
EC ₅₀		140 mg/l		Bacteria (Salmonella typhimurium)	Activated sludge	Literary studies	karta charakterystyki
NOEC	OECD 208	220 mg/l				Literary studies, Reproduction	karta charakterystyki
NOEC	OECD 208	10 mg/kg		Higher plants		Literary studies, Indicator of growth	karta charakterystyki

Sodium cumene sulfonate

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC ₅₀	EPA OTS 797.1300	>1000 mg/l	48 hour	Daphnia (Daphnia magna)			karta charakterystyki
Ebc ₅₀	EPA OTS 797.1050	>230 mg/l	96 hour	Algae (Selenastrum capricornutum)			karta charakterystyki
NOEC	EPA OPPTS 850.1010	31 mg/l	96 hour	Algae (Selenastrum capricornutum)			karta charakterystyki
ErC ₅₀	OECD 209	>1000 mg/l	3 hour	Bacteria (Salmonella typhimurium)	Activated sludge		karta charakterystyki
LD ₅₀	EPA OTS 797.1400	>1000 mg/l	96 hour	Fishes (Oncorhynchus mykiss)			karta charakterystyki

sodium hydroxide

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC ₅₀		40.4 mg/l	48 hour	Aquatic invertebrates (Ceriodaphnia dubia)			SDS
EC ₅₀		22 mg/l	15 min	Microorganisms (Photobacterium phosphoreum)			SDS



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

sodium metasilicate

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
LC ₅₀		210 mg/l	96 hour	Branchydanio rerio			
EC ₅₀		1700 mg/l	48 hour	Daphnia magna			
EC ₅₀		207 mg/l	72 hour	Scenedesmus subspicatus			

Chronic toxicity

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Species	Environment	Determining method	Source
EC10		>0.1-1 mg/l		Fishes (Pimephales promelas)		Literary studies	karta charakterystyki
EC10	OECD 211	>0.1-1 mg/l		Daphnia (Daphnia magna)		Literary studies	karta charakterystyki

12.2. Persistence and degradability

Biodegradability

Alcohols, C12-13, ethoxylated

Parameter	Method	Value	Time of exposure	Environment	Determining method	Result	Source
	OECD 301B	>60 %	28 day		Literary studies	Easily biodegradable	karta charakterystyki
	OECD 311	>60 %	69 day			Biodegradable	karta charakterystyki

Sodium cumene sulfonate

Parameter	Method	Value	Time of exposure	Environment	Determining method	Result	Source
		100 %	28 day			Easily biodegradable	karta charakterystyki

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Sodium cumene sulfonate

Parameter	Value	Time of exposure	Species	Environment	Surrounding temperature [°C]	Source
Logpow	-1.1 mg/kg					karta charakterystyki

Data not available.

12.4. Mobility in soil



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Alcohols, C12-13, ethoxylated

Parameter	Value	Environment	Surrounding temperature	Determining method	Source
Koc	>5000			Literary studies	karta charakterystyki

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

UN 1719

14.2. UN proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)

14.3. Transport hazard class(es)

8 Corrosive substances

14.4. Packing group

II - substances presenting medium danger

14.5. Environmental hazards

No

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date 10th August 2000
Revision date 25th March 2022 Version 2.0

Additional information

Hazard identification No.

UN number

Safety signs



8



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as amended.

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	<p>1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.</p> <p>2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.</p> <p>3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:</p> <p>"Do not use in paint spraying equipment".</p>

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For following mixture substances:

Sodium cumene sulfonate: A Chemical Safety Assessment has been carried out.

potassium hydroxide: A Chemical Safety Assessment has been carried out.

sodium hydroxide: A Chemical Safety Assessment has been carried out.

Alcohols, C12-13, ethoxylated: A Chemical Safety Assessment has been carried out.

2-(2-butoxyethoxy)ethanol: A Chemical Safety Assessment has been carried out.

sodium metasilicate: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of container to properly labeled waste containers in accordance with national regulations.
P405	Store locked up.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CE ₅₀	Concentration of a substance when it is affected 50% of the population
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
DNEL	Derived no-effect level
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC ₅₀	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD ₅₀	Lethal dose of a substance in which it can be expected death of 50% of the population
log K _{ow}	Octanol-water partition coefficient
LZO	Volatile organic compounds
MARPOL	International Convention for the Prevention of Pollution from Ships
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
NOEL	No observed effect level
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted no-effect concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UE	European Union
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations



SAFETY DATA SHEET

according to Regulation (EC) No 1907/2006 (REACH) as amended

Top Efekt CONTRA

Creation date	10th August 2000	Version	2.0
Revision date	25th March 2022		

UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
vPvB	Very Persistent and very Bioaccumulative
WE	Identification code for each substance listed in EINECS
Acute Tox.	Acute toxicity
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Met. Corr.	Corrosive to metals
Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

The changes (which information has been added, deleted or modified)

General update

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.