

TENZI

Advantage through quality

MANUAL CAR WASH
TRUCKS



25 YEARS
ANNIVERSARY

ACTIVE FOAM - BODYWORK

MONOTRUCK CONCENTRATE

WASHING OF ALL TYPES OF BODYWORK - ACTIVE FOAM

A highly alkaline product for cleaning heavily soiled bodywork, sides, tires, chassis and tarpaulins. Can be used in brush and touchless car washes, for pre-spraying and general cleaning.

AREAS OF USE:

- trucks
- delivery vans, cars
- off-road vehicles, passenger vans, ATVs

USE:

PREPARE A WORKING SOLUTION DEPENDING ON THE LEVEL OF SOILING OF THE SURFACE:

- sprayer: winter period - 1:30, summer period - 1:50;
- engine washing: 1:20;
- foam lance: winter period - 1:4, summer period - 1:5;
- manual car washes: 0.5% solution (50 ml/ 10 l of water);
- rinse off with high-pressure water.

10L - FF006A010

20L - FF006A020

200L - FF006A200



TRUCK CLEAN CONCENTRATE

WASHING OF TRUCKS, TARPULINS - ACTIVE FOAM

A very strong, two-component alkaline formulation with a wide range of applications. Removes soiling such as grease, oil, mud, road grime, soot. Suitable for cleaning extremely dirty, alkali-resistant hard surfaces in heavy goods vehicles (trucks, tarpaulins, tankers, etc.). Highly effective. Strongly foaming. Recommended for pressure washing.

AREAS OF USE:

- trucks • forklifts • tarpaulins • agricultural machinery • construction machinery
- tankers • buses, etc.

USE:

SHAKE SEVERAL TIMES BEFORE USE;

- sprayer: winter period 1:50 with water, summer period 1:100 with water;
- engine washing: 1:15 to 1:30 with water;
- foam or disinfection lance: winter period: 1:1 to 1:3 with water, summer period 1:5 to 1:9 with water;
- hand washing: 0.5%;
- rinse off with high-pressure water.

Note:

Do not allow to dry on the bodywork!
Avoid using the product on surfaces heated by the sun.

1L - AA007A001
5L - AA007A005

10L - AA007A010
20L - AA007A020
200L - AA007A200



NEW

TENZI®

DOUBLE ACTIVE FOAM POWER

DIPOWER CONCENTRATE

**TWO-PHASE HIGH-EFFICIENCY ALKALINE
DETERGENT - ACTIVE FOAM**

Active foam for the effective removal of road grime and other strong contamination from trucks, machinery, construction and agricultural equipment. Effectively removes built-up dirt from truck bodywork. Removes dried mud and grease from excavators, loaders and other heavy machinery. Cleans tractors, combine harvesters and other agricultural equipment of crop and soil residues. Leaves surfaces perfectly clean and shiny. Safe for all varnishes and paints.

PHOSPHATE-FREE

AREAS OF USE:

- trucks
- construction machinery
- agricultural machinery
- forklift trucks
- tarpaulins
- tankers
- buses
- undercarriages
- engines

2kg - AA237A002

5kg - AA237A005

10kg - AA237A010

20kg - AA237A020





DIPOWER CONCENTRATE

PRODUCT USE:

1 PREPARE WORKING SOLUTION

Mix the product so that the two phases blend together.

Sprayer:
1:50 to 1:100 (2%; 1%).
Foam lances:
1:4 to 1:9 (2%; 1%)

2 PRODUCT APPLICATION

Apply the product on the washed vehicle, by using a foaming gun.

Note:
Do not allow to dry on the bodywork!
Avoid using the product on surfaces heated by the sun.

3 FINISHING

Wait up to 2 minutes.

Wash off with high-pressure water. Remember to rinse from the bottom to the top of the vehicle and then in reverse order.

WATCH VIDEO!



ADVANTAGES OF ACTIVE FOAM

EFFECTIVENESS

REMOVES EVEN THE MOST DIFFICULT DEPOSITS AND DIRT IN THE OPERATION OF TRUCKS, CONSTRUCTION AND AGRICULTURAL MACHINERY AND EQUIPMENT.

EASY TO USE

CAN BE APPLIED SIMPLY AND QUICKLY.

APPLICATION



CONSTRUCTION
EQUIPMENT



DELIVERY
VANS



SPECIAL
VEHICLES

RAPID

ACTIVE FOAM ALLOWS YOU TO CLEAN SURFACES QUICKLY AND EFFECTIVELY, SAVING YOUR TIME AND MONEY.

SAFE

DOES NOT CAUSE SURFACE DAMAGE AND IS SAFE FOR ALL VARNISHES AND PAINTS. PHOSPHATE-FREE.



WHEELS, TIRES, RIMS - HEAVY DIRT REMOVAL

SUPER GREEN SPECJAL[®] CONCENTRATE

WASHING OF ALL TYPES OF BODYWORK - ACTIVE FOAM

An alkaline product with a wide range of applications. Recommended for washing trucks, off-road vehicles, buses, special purpose motor vehicles, construction and agricultural machinery. Good for washing both bodywork and engines. Creates a protective layer.

AREAS OF USE:

- trucks
- delivery vans
- off-road vehicles, passenger vans

USE:

- sprayer:
in winter: 1:10 to 1:30 with water;
in summer: 1:20 to 1:40 with water;
- engine washing: 1:5 to 1:10 with water;
- foam lance:
concentrate or 1:3 with water;
- wash off with high-pressure water;
- gantry and tunnel car washes,
hand car washes:
solution 50-100 ml / 10 l of water.

Note:

Do not allow to dry on the bodywork!
Avoid using the product on surfaces
heated by the sun.

1L - AA003A001
5L - AA003A005
10L - AA003A010
20L - AA003A020
200L - AA003A200



EN-JEE[®] CONCENTRATE

DAILY CLEANING OF HUBCAPS, RIMS, AND TIRES

Concentrated, alkaline product for the removal of road grime. Does not contain aggressive chemicals that can damage a washed surface. Safe for: paints, varnishes, veneers, panels, mortars, lacquers. Use for routine cleaning.

AREAS OF USE:

- all types of rims
- hubcaps
- tires (wheels)
- rubber mats

USE:

- prepare a working solution
Dilute: 1:4 to 1:9 with water;
- apply with a hand or
compressed-air sprayer;
- wash off with high-pressure
water.

1L - AA027A001
5L - AA027A005
10L - AA027A010
20L - AA027A020
200L - AA027A200





WHEELS, TIRES, RIMS - HEAVY DIRT REMOVAL

ALUX[®]

CONCENTRATE

CLEANING OF ALLOY WHEELS (HEAVY DIRT)

A concentrated product for the periodic cleaning of heavily soiled aluminium alloy, light metal and stainless steel components. Removes carbon deposits from rims and exhaust pipes. Works instantly. Contains corrosion inhibitors. Do not use in the food and catering industry!

AREAS OF USE:

- alloy wheels
- aluminium sides
- hubcaps
- chrome-plated exhaust pipes

USE:

- prepare a 1:3 to 1:9 solution with water;
- apply by spraying;
- wash off with high-pressure water.

1L - AA027A001
5L - AA009A005
10L - AA009A010
20L - AA009A020
200L - AA009A200



10L - AA008A010
20L - AA008A020
200L - AA008A200

ALUX STRONG

CONCENTRATE

CLEANING OF HEAVILY SOILED ALUMINIUM RIMS AND SIDES

A concentrated product for the periodic cleaning of heavily soiled, corroded components made of aluminium and its alloys in trucks, and other light metal alloys or stainless steel.

Very strong cleaning action.

AREAS OF USE:

- trucks
- delivery vans, cars
- off-road vehicles, passenger vans, ATVs

USE:

- prepare a 1:3 to 1:10 solution with water;
- apply with a hand or compressed-air sprayer or brush;
- wash off with high-pressure water.

ATTENTION:

Dangerous product! (very strong action)
Look out for glass surfaces – will damage the glass!

BODYWORK POLISHING

VEHICLE DISINFECTION

ROLLEX®

CONCENTRATE

HYDRO WAX - BODYWORK POLISHING AND PROTECTION

A new concentrated, highly efficient hydro wax (polymer) for the polishing and protection of car bodywork. Perfectly protects the paintwork against negative atmospheric factors (temperature, humidity) and significantly reduces the effect of UV rays. It facilitates water removal, thus speeding up the drying process without additional air blowing (hydrophobic effect). Recommended for all types of car washes.

AREAS OF USE:

- paintwork, bodywork

USE:

- Protection and drying;
- high-pressure cleaning;
Dilute: 1:500 with water
(0.2% - 20 ml/10 l of water);
- (15-25 g / passenger car);
- rinse with water;
- Hand washing: 1:500 with water
(0.2% 20 ml/10 l of water);
- apply with a hand or
compressed-air sprayer.

The product can be used diluted with water over a wide temperature range (20°C-60°C).

For better results, use with demineralised water. When employing so-called city (hard) water for rinsing, wipe and polish the bodywork dry with a soft cloth.

1L - AA234A001

5L - AA234A005



GRAN CLOR® 2006

CONCENTRATE

DEGREASING AND DISINFECTION OF REFRIGERATED VEHICLES

Extremely effective high-alkaline disinfectant and cleanser based on an active chlorine. Even at low concentrations, the preparation has bactericidal, fungicidal, sporocidal and virucidal effects. Recommended for cleaning and disinfection in the following areas of application – food industry, sanitary surfaces, swimming pools, waste sorting plants, transport and waste containers, water and sewage facilities, slaughterhouses, piggeries, police vehicles, medical vehicles, funeral vehicles, etc. **National Institute of Hygiene approval no. HŻ/1104/01/2007. Biocidal product marketing authorisation: 3126/07**

AREAS OF USE:

- refrigerated trucks, insulated trucks, animal transport vehicles
- vehicles transporting meat, fish, poultry
- police vehicles, medical vehicles
- refuse trucks

USE:

- disinfection at an ambient temperature of approx. 20°C;
- general disinfection: Dilute: 200 ml/10 l of water, action time: 15 minutes;
- spores - 200 ml/10 l of water, action time: 15 min;
- bacteria - 100 ml/10 l of water, action time: 5 min;
- fungi - 40 ml/10 l of water, action time: 15 min;
- viruses - 100 ml/10 l of water, action time: 10 min;
- after use, rinse the surface with clean water.

1L - SP023A001

5L - SP023A005

10L - SP023A010

20L - SP023A020





***WE LOOK FORWARD
TO DOING BUSINESS WITH YOU***



ADVICE
ON TRAINING,
PRODUCT SELECTION
AND APPLICATION
+48 785 861 972



**COMMERCIAL
INFORMATION**
sales@tenzi.pl



ADDRESS
Tenzi Sp. z o.o.
Skarbimierzyce 20
72-002 Dotuże
POLAND



/tenzipoland



/tenziprofessional



/tenzipoland

tenzi.eu / tenzidetailer.com / tenziprodetailing.com