

# TENZI

*Advantage through quality*

**MANUAL CAR WASH**  
CARS



**25** YEARS  
ANNIVERSARY

[tenzi.eu](http://tenzi.eu)

## WHEELS, TIRES, RIMS – HEAVY DIRT REMOVAL

### ALUX<sup>®</sup>

#### CONCENTRATE

##### CLEANING OF ALLOY WHEELS (HEAVY DIRT)

An acidic product for the periodic thorough cleaning of heavily soiled aluminium alloy components, light metals, and stainless steel. Removes hard mineral deposits, brake dust and atmospheric dirt. Works instantly.

**Recommended for cars and motor-bikes.**

##### AREAS OF USE:

- alloy wheels
- aluminium sides
- hubcaps
- chrome-plated exhaust pipes

##### USE:

- prepare a 1:3 to 1:9 solution with water;
- apply by spraying;
- wash off with high-pressure water.

1L - AA027A001  
5L - AA009A005  
10L - AA009A010  
20L - AA009A020  
200L - AA009A200



**PROFESSIONAL SOLUTION BOTTLE - 1L**  
1L - T00011  
1L - T00012

### EN-JEE<sup>®</sup>

#### CONCENTRATE

##### EVERYDAY CLEANING OF HUBCAPS, RIMS, AND TIRES

Concentrated, alkaline product for the removal of road grime and dirt of organic origin. Does not contain aggressive chemicals that can damage the surface being washed. Good for: paints, varnishes, veneers, panels, mortars, lacquers. Concentrate for everyday cleaning.

##### AREAS OF USE:

- all types of rims
- hubcaps
- tires (wheels)

##### USE:

- prepare a 1:5 to 1:10 solution with water;
- apply with a hand or compressed-air sprayer;
- wash off with high-pressure water.

1L - AA027A001  
5L - AA027A005  
10L - AA027A010  
20L - AA027A020  
200L - AA027A200



### ALUX<sup>®</sup> GT

#### READY-TO-USE

##### WASHING OF ALLOY WHEELS (FRESH DIRT)

A product for dirty alloy wheels. Removes operating dirt – discolouration, mineral deposits. Works instantly. **Recommended for cars and motor-bikes.**

##### AREAS OF USE:

- alloy wheels
- aluminium sides

##### USE:

- apply the product with a sprayer to the surface;
- after a while (30-60 sec.), wash off with high-pressure water.

1L - AA173A001





# WHEELS, TIRE, RIMS - CLEANING AND CARE

## BLACK TYRE READY-TO-USE

### TIRE BLACKENER WITH SHINY NEW TIRE EFFECT

The unique formula (contains polysilane emulsions) works well both as a protector for new elements and as a renovator for visibly faded materials. Creates a flexible hydrophobic layer that prevents dirt build-up and restores the original colour of the material. Spread over the cleaned and dried surface using an applicator and allow to soak in. Repeat to enhance the effect.

#### AREAS OF USE:

- tires
- rubber elements
- seals
- plastic elements

#### USE:

- shake the container before use, do not dilute;
- apply only to clean and dry surfaces;
- spread evenly in a thick layer with the applicator and let it soak in (apply another layer if the product absorbs quickly).

5L - AA235A005



#### TIRE APPLICATOR

TZ0049



## GUM EXTRA GT READY-TO-USE

### PROTECTION AND POLISHING OF RUBBER PARTS

Excellent for shine and renewal. Long-lasting protection against stains, smears and streaks. Protects against the ingress of dirt. Resistant to subzero temperatures. Protects rubber against all weather conditions, UV rays. No polishing required. Recommended for routine use. Can be used in sub-zero temperatures.

#### AREAS OF USE:

- tires
- stop bumpers
- seals

#### USE:

- apply a small amount of the product to the surface – using a sprayer or applicator;
- spread evenly (with sponge, cloth or applicator).



1L - AA032A001  
5L - AA032A005



## PRIX READY-TO-USE

### REMOVAL OF METALLIC RESIDUES FROM PAINTWORK AND RIMS

A pH-neutral product suitable for removing metallic residues from the surface of car paintwork and rims. Removes temperature-baked brake and road dust. When the product comes into contact with metallic residues, a chemical reaction takes place and the product turns red – the so-called "bleeding rims" effect.

#### AREAS OF USE:

- alloy wheels
- bodywork

#### USE:

- make sure the surface is not hot before use;
- shake the product and spray the rim surface;
- wait around 2-3 min. until the "bleeding rims" effect occurs;
- wash off with high-pressure water.



1L - AA101A001  
5L - AA101A005

## BODYWORK - WASHING WITH ACTIVE FOAM

### TAN CAR

#### CONCENTRATE

##### BODYWORK PRE-WASH

Foam-forming, alkaline product for the routine cleaning of motor vehicle bodywork. Perfectly removes dirt, dust and other road contaminants. Recommended for all types of motor vehicles.

##### AREAS OF USE:

- cars
- delivery vans, passenger vans, trucks
- stainless steel and aluminium alloy surfaces
- car washes

##### Note:

Do not allow to dry on the bodywork!  
Avoid using the product on surfaces heated by the sun.

##### USE:

- SPRAYER:
  - in winter: 1:20 with water;
  - in summer: 1:50 with water;
- foam or disinfection lance:
  - in winter: 1:1;
  - in summer: 1:2 with water;
- wash off with high-pressure water;
- in the case of very heavy dirt, working solutions may change.

5L - AA018A005  
10L - AA018A010  
200L - AA018A200



### CAR MAX

#### CONCENTRATE

##### BODYWORK CLEANING

Foaming, alkaline product used for the routine cleaning of the bodywork of motor vehicles, cars, off-road vehicles, vans, etc. Recommended for all types of car washes as a pre-spray or for general cleaning.

##### AREAS OF USE:

- cars
- delivery vans
- passenger vans
- off-road vehicles
- manual car washes
- self-service car washes

##### Note:

Do not allow to dry on the bodywork!  
Avoid using the product on surfaces heated by the sun

##### USE:

Prepare a working solution depending on the level of soiling:

- SPRAYER: • means of transport:
  - in winter: a dilution of 1:20;
  - in summer: 1:50;
- FOAM LANCE:
  - in winter: a dilution of 1:1;
  - in summer: 1:2;
- TURBO SPRAYING: 2% (200 ml/10 l of water)
- Car washes: 1% solution (100 ml/10 l of water);
- MANUAL WASHING: 1% solution (100 ml/10 l of water). Wash with high-pressure water (110-130 bar).

1L - AA016A001  
5L - AA016A005 20L - AA016A020  
10L - AA016A010 200L - AA016A200



##### PROFESSIONAL SOLUTION BOTTLE - 1L

1L - T00011  
1L - T00012

### SUPER GREEN SPECJAL<sup>®</sup> GT

#### READY-TO-USE

##### ENGINE WASHING

Active foam. A product for the removal of petroleum-based contaminants (grease, oils), road grime and traffic film. Recommended for general and daily cleaning of all engine components in motor vehicles.

##### USE:

- apply to the surface with a sprayer;
- wait a while;
- wash off with high-pressure water.

##### AREAS OF USE:

- engines
- surfaces coated with hard lacquers
- stainless steel
- protected aluminium alloys
- cars
- ATVs
- motorbikes

600ml - WW020B600



1L - AA003A001  
5L - AA003A005  
10L - AA003A010  
20L - AA003A020  
200L - AA003A200





## BODYWORK – SAFE WASHING



### NEUTRAL MAGIC PINK/CLEAR FOAM CONCENTRATE HIGHLY CONCENTRATED NEUTRAL CAR WASH FOAM

Thick foam with neutral pH. Designed to provide optimum cleaning for cars protected with wax, quartz and ceramic coatings. The product removes road grime with ease, without worrying about damaging expensive and delicate exterior trim elements. The unique, intense cherry fragrance will make every wash more enjoyable.

#### NEUTRAL MAGIC FOAM CLEAR (white foam)

1L - FF056A001  
5L - FF056A005



#### NEUTRAL MAGIC FOAM PINK (pink foam)

1L - FF057A001  
5L - FF057A005



#### AREAS OF USE:

- cars

#### USE:

- wash off any sand deposit so that it does not scratch the bodywork;
- shake before use;
- apply with a foam gun;
- recommended dilution – 1:10 to 1:100;
- wash with a sponge or glove;
- rinse with running water;
- best results are obtained by using demineralised water for rinsing.

## BODYWORK - WASHING AND CARE

### SHAMPO NEUTRO

#### CONCENTRATE

##### BODYWORK MANUAL WASHING. POLISHING

Concentrated shampoo for the hand washing and polishing of all types of car bodywork. Forms a very dense foam; phosphate-free; very efficient. Creates a protective, shiny layer on the washed surface; leaves no streaks. Neutral working solution. Recommended for hand washing with simultaneous polishing.

##### AREAS OF USE:

- bodywork of cars, vans, trucks
- motorbikes, bicycles, ATVs

##### USE:

- wash off any sand deposit before use so that it does not scratch the bodywork;
- solution of 100 ml/10 l of water;
- wash with a sponge or soft glove;
- rinse with running water;
- best results are obtained by using demineralised water for rinsing.

1L - AA005A001  
5L - AA005A005  
10L - AA005A010  
20L - AA005A020  
200L - AA205A200



### SHAMPO WAX

#### CONCENTRATE

##### MANUAL WASH SHAMPOO WITH WAX

Concentrated shampoo for hand car washing enriched with natural Carnauba wax. Perfectly cleans, shines and protects the bodywork against negative effect of external factors. Effective and gentle – contains no aggressive substances or solvents. Medium foaming product with bubble gum fragrance.

##### AREAS OF USE:

- bodywork of cars, vans, trucks
- motorbikes, bicycles, ATVs
- manual washing

##### USE:

- bodywork of cars, vans, trucks;
- motorbikes, bicycles, ATVs;
- wash off any sand deposit before use so that it does not scratch the bodywork;
- 2% solution (200 ml/10 l of water);
- apply and wash with a glove or sponge;
- rinse with water, preferably pressurised;
- best results are obtained by using demineralised water for rinsing.

1L - AA113A001  
5L - AA113A005  
200L - AA113A200



### ROLLEX®

#### CONCENTRATE

##### HYDRO WAX - BODYWORK POLISHING AND PROTECTION

A new concentrated, highly efficient hydro wax (polymer) for the polishing and protection of car bodywork. Perfectly protects the paintwork against negative atmospheric factors (temperature, humidity) and significantly reduces the effect of UV rays. It facilitates water removal, thus speeding up the drying process without additional air blowing (hydrophobic effect). Recommended for any type of car wash.

##### AREAS OF USE:

- paintwork, bodywork

##### USE:

- Protection and drying:
    - high-pressure cleaning;
    - dilute: 1:500 with water (0.2% - 20 ml/10 l of water);
    - (15-25 g / passenger car);
    - rinse with water;
  - Manual washing: Dilute: 1:500 with water (0.2% 20 ml/10 l of water);
  - apply with a compressed-air or hand sprayer.
- The product can be used diluted with water over a wide temperature range (20°C-60°C).

For better results, use with demineralised water. When employing so-called city (hard) water for rinsing, wipe and polish the bodywork dry with a soft cloth.

1L - AA234A001  
5L - AA234A005





## BODYWORK, GLASS SURFACES – SUPER SHINE

# CAR SHINE READY-TO-USE

### BODYWORK CARE – INSTANT SHINE

A product for the care of all types of car paintwork. Simple to use, acts immediately, effective. Thanks to the latest generation of polymers, it fills fine scratches, enhances colour, removes fine dirt, streaks and hard water stains, and facilitates evaporation. Recommended after general cleaning.

#### AREAS OF USE:

- paintwork
- glossy surfaces

#### USE – READY-TO-USE:

- apply with a sprayer to a clean cloth or damp surface;
- wipe the surface and leave to dry;
- no polishing required.

1L – AA033A001  
5L – AA033A005



# TOP GLASS READY-TO-USE

### CLEANING OF GLASS ELEMENTS

A product for the cleaning and effective care of car windows, mirrors, headlights and sunroofs. Easy to use, leaves no streaks or light reflections. The product provides a perfectly clean surface for all car windows – ensuring excellent visibility.

#### AREAS OF USE:

- windows
- mirrors
- headlights
- sunroofs
- glass surfaces

#### USE:

- apply the product with a sprayer to the dirty surface;
- wipe dry with a microfibre cloth.

600ml – WW003B600  
1L – SS002A001  
5L – SS002A005  
10L – SS002A010



## BODYWORK - REMOVAL OF HEAVY DIRT

### TOPEFEKT® PUNKT

#### READY-TO-USE

#### REMOVAL OF ASPHALT, RESIN AND STICKER MARKS

Dedicated product based on natural solvents and alcohols for the removal of localised contamination from markers, chewing gum, adhesive from self-adhesive labels, rubber marks, plasticine, paraffin from mats and lining, resin and asphalt deposits.

#### AREAS OF USE:

- cars
- trucks
- buses
- motorbikes
- ATVs

#### USE:

- apply with a sprayer;
- wait a while;
- clean with a brush or cloth.

**Note:** Before use, test the colour durability and resistance of the surface in a discrete area. Do not use on rubber, soft plastic, acrylic glass.

Do not allow to dry on the bodywork!  
Avoid using the product on surfaces heated by the sun.

300ml - TT034B300  
1L - TT034A001



### MOSQUITOS

#### READY-TO-USE

#### INSECT REMOVAL

A product designed to remove insect marks and other organic contaminants from windscreens and bodywork. Recommended for application approx. 1 minute before pre-spraying or basic cleaning. Recommended for thorough cleaning after longer trips in spring-summer-autumn.

#### AREAS OF USE:

- cars
- trucks
- buses
- motorbikes
- ATVs

#### USE:

- apply the product to the contaminated surface;
- proceed with the regular washing of the vehicle.

**Note:**

Do not allow to dry on the bodywork!  
Avoid using the product on surfaces heated by the sun.

1L - AA015A001  
10L - AA015A010





## TEXTILE SURFACES

### TEXTIL WASH

#### CONCENTRATE

#### WASHING SEATS, CARPETS, UPHOLSTERY (TEXTILES)

A product for washing textile surfaces by extraction or by hand – with a brush or sponge. It has cleaning and degreasing properties. Brings colours to life. Recommended for daily cleaning and refreshing of all types of textile surfaces.

#### AREAS OF USE:

- fabric upholstery
- seats
- mats

#### USE:

- washing (with a brush or spray extraction cleaner): 50-500 ml/10 l of water;
- stain removal: 1:3 to 1:5 with water;
- rinse with water (preferably using a spray extraction cleaner);
- in case of heavy dirt, repeat the operation.

1L - AA010A001  
5L - AA010A005  
10L - AA010A010



### APC IN

#### CONCENTRATE INTERIOR SURFACE CLEANING - MULTI-PURPOSE

Multi-purpose cleaner for heavily contaminated surfaces and car interior fittings made from materials such as plastics, laminates, textile and patent leather surfaces. The product effectively dissolves organic contaminants while leaving a fresh fragrance.

#### AREAS OF USE:

- patent leather
- textiles with lasting colours
- plastics
- wooden and wood-like surfaces

#### USE:

- prepare a suitable working solution;
- apply with a sprayer on the surface to be cleaned;
- after around 15-20 sec., scrub with a soft brush or sponge;
- rinse or wipe several times with a clean, wet cloth.

#### Dosage:

- 10% - 100 ml/1 l of water – leather cleaning
- 20% - 200 ml/1 l of water – stain removal/ cleaning
- 5% - 50 ml/1 l of water – textile surface cleaning
- 2% - 20 ml/1 l of water – plastic cleaning

1L - BB009A001



### EX WASHING POWDER

#### TEXTILE WASHING AND STAIN REMOVAL

A highly effective, odourless powder for washing upholstery, headliners, carpets and rugs, using **spray extraction cleaners**. Removes stains and organic dirt without damaging the material. The extracts contained in the powder deeply penetrate the fibre structure and effectively remove dirt. **Recommended for "Tornado" type devices.**

#### AREAS OF USE:

- fabric upholstery
- mats
- textile lining
- headliners
- car seats

#### USE:

- prepare the solution (10-20 g/1 l of warm water at approx. 40°C);
- mix thoroughly;
- upholstery, mats, lining:
  - apply to the surface;
  - scrub lightly;
  - extract the dirt;
  - rinse with a spray extraction cleaner;
- headliners:
  - apply with a sponge, scrub after a while;
  - wipe the surface;
  - extract the dirt and rinse with a spray extraction cleaner.

Note: Check colour fastness before use. Contains active oxygen!

0.5 kg - DD005A500  
5 kg - DD005A005



## COCKPIT, PLASTIC AND OTHER SYNTHETIC MATERIALS – CLEANING AND CARE

### COCKPIT CLEANER

#### READY-TO-USE

##### THOROUGH CLEANING OF COCKPITS (TANGERINE FRAGRANCE)

Cleaning and washing product for heavily soiled surfaces. Removes operating dirt, fingerprints, dust, dissolves deposits. Cleans any type of material. Safe for the surfaces being washed.

##### AREAS OF USE:

- patent leather
- plastics
- wooden and wood-like surfaces
- laminates, veneers

##### USE:

- apply to a cloth;
- spread thoroughly over the entire surface to be cleaned;
- wait about 15-20 seconds and then wipe off the dirt;
- wipe surfaces repeatedly with a cloth rinsed in clean running water.

600ml - WW113B600



### SILKOK

#### READY-TO-USE

##### CARE OF PLASTIC COCKPIT ELEMENTS (SEMI-GLOSS)

Anti-reflective cleaning and care product for cockpits and other plastic surfaces inside vehicles. Creates a slightly glossy protective layer on the surface. Removes dirt, refreshes. Leaves a pleasant fragrance. Does not leave oily residues. Recommended for regular maintenance and refreshing of old, discoloured plastics.

##### AREAS OF USE:

- cockpits
- plastic vehicle interior elements

##### USE:

- spray the surface;
- wipe dry with a soft cloth, preferably made of microfibre.

600ml - WW016B600



### TOPEFEKT® KOK

#### READY-TO-USE

##### CARE OF COCKPITS AND PLASTIC ELEMENTS (MATT EFFECT)

Anti-reflective care and cleaning product for cockpits and other plastic surfaces inside vehicles. Creates a matt protective layer on the surface. Removes dirt, refreshes. Leaves a pleasant fragrance and does not form oily residues. Recommended for daily care.

##### AREAS OF USE:

- cockpits
- plastic vehicle interior elements

##### USE:

- spray the surface;
- wipe dry with a soft cloth, preferably made of microfibre.

600ml - WW015B600





## LEATHER UPHOLSTERY

### LEDER CLEAN GT READY-TO-USE / CONCENTRATE

**CLEANING OF LEATHER SURFACES**  
Cleaning and washing product for heavily soiled leather surfaces. Removes old and recent dirt. Effectively removes organic contamination. Safe for the leather. Recommended for patent leather.

#### AREAS OF USE:

- leather car upholstery
- leather seats
- seats

#### USE - READY-TO-USE:

- spray the surface of a natural horsehair brush and apply the product to the surface;
- wait approx. 15-20 sec. and then gently scrub the leather surface;
- remove dirt with a microfibre cloth, rinse with clean running water;
- wipe the surface dry.

600ml - WW053B600



#### USE - CONCENTRATE:

- prepare a working solution of 10% (100 ml/0.9 l of water) and apply to the surface with a natural horsehair brush, spreading it thoroughly over the surface;
- wait approx. 15-20 sec. and then gently scrub;
- remove dirt with a microfibre cloth, rinse with clean water;
- wipe the surface dry.

600ml - WW077B600



### LEDER CREAM READY-TO-USE IMPREGNATION OF LEATHER SURFACES

Cream for the protection (preservation) of patent leather. Prevents dryness and cracking. Maintains the natural appearance of the leather and leaves the fragrance of fresh, new leather.

#### AREAS OF USE:

- natural leather, artificial leather,
- patent – grain leather
- leather upholstery

#### USE:

- apply with brush or sponge over entire leather surface;
- allow to dry for approx. 1 h.

600ml - WW055B600



**HORSEHAIR BRUSH**  
TP0004

**MICROFIBRE CLOTH**  
TS0001  
TS0002

### LEDER CARE READY-TO-USE CARE OF LEATHER SURFACES

A product for the routine care and refreshing of natural and artificial leather. Revitalises the leather's colour, makes it more elastic and more resistant to external factors such as UV rays, humidity and temperature. Recommended for patent leather.

#### AREAS OF USE:

- leather car upholstery
- leather seats

#### USE:

- use without dilution;
- wipe the surface with a cloth dampened with the product;
- allow to dry.

600ml - WW054B600



## FRESHENERS, ODOUR NEUTRALISATION

### TOP FRESH

#### READY-TO-USE

##### AIR FRESHENER

A ready-to-use air freshener. A pleasant, long-lasting, fresh fragrance. Leaves no stains; gas and oil free. Freshens the air for a long time, additionally stopping the formation of unpleasant odours. Easy to use.

##### AREAS OF USE:

- motor vehicle cabs

##### USE:

- spray without dilution.

##### TOP FRESH LENDI

(with exotic fruit fragrance)

600ml - WW002B600

##### TOP FRESH SINESCA

(with perfume fragrance)

600ml - WW001B600



### DS-1 GT

#### READY-TO-USE

##### RAPID DISINFECTION IN 1 MINUTE

Bactericidal and fungicidal liquid for disinfection of surfaces, air conditioning, and air circulation systems.

Certified by the National Institute of Hygiene – dermatologically and microbiologically tested. Biocidal product marketing authorisation: 4752/12.

##### AREAS OF USE:

- car interiors
- boot
- cabs

##### USE:

- apply the product with a sprayer, leave for at least 60 sec.;
- bacteria;
- fungus (referring to yeasts).

##### NO RINSING REQUIRED

1L - UU005A001

5L - UU005A005



### ODOR OFF NANO

#### READY-TO-USE

##### ODOUR REMOVAL

Odour neutraliser. Removes unpleasant odours of organic origin by strongly oxidising them, purifying the air while maintaining a lasting freshness effect. Counters the irritating odours of tobacco smoke, animal and plant decomposition, sweat, urine, fish and putrid odours. Reduces the ability of bacteria, fungi and mould to grow. Contains **NANO silver particles**. Dermatologically tested product.

##### AREAS OF USE:

- car interiors
- boot
- cabs

##### USE:

- use at room temperature;
- shake before each use;
- apply the spray to the previously cleaned odour-emitting surface and leave to dry;
- light definitely improves and accelerates the effect.

600ml - WW086B600

