

# **Safety Data Sheet**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier:

# **GRAN QAT**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

Washing and disinfecting product, based on quaternary ammonium compound, designed for cleaning and disinfecting different types of surfaces, including those which have contact with food and animal fodder.

Bactericidal and fungicidal effects in accordance with PN-EN 1276, PN-EN 1650 and PN-EN 13697 standards.

Permission for dealing bactericidal product nr 3155/07.

#### 1.3 Details of the supplier of the safety data sheet:

TENZI Sp. z o.o. Skarbimierzyce 20 72-002 Dołuje tel. +48 91 3119777 fax. +48 91 3119779

E-mail address for a competent person responsible for SDS: technolog@tenzi.pl

#### 1.4 Emergency telephone number:

+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

# **SECTION 2. HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture:

Classification according to Regulation (EC) No. 1272/2008:

Flam Liq. 3 H226 — Flammable liquid and vapour.
Eye Dam. 2 H318 — Causes serious eye damage.
Aquatic Acute 1 H400 — Very toxic to aquatic life.

Aquatic Chronic 2 H411 - Toxic to aquatic life with long lasting effects.

2.2. Label elements:

(According to 1272/2008/EC\*)

## Hazard symbols:



# Signal words:

DANGER

#### **Hazard statements:**

H226 — Flammable liquid and vapour.
H318 — Causes serious eye damage.

**H410** – Very toxic to aquatic life with long lasting effects.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 1 of 10



# **Safety Data Sheet**

**Precautionary statements:** 

P210 – Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 – Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P310 – Immediately call a POISON CENTER/doctor

#### 2.3. Other hazards:

Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

# **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

#### 3.1. Substances:

Not applicable.

#### 3.2. Mixtures:

Composition (according to: 648/2004/EC):

- 5% cationic surfactants

- 50% alcohols

Identification		Hazardous ingredient/classification	Concentration
CAS: WE:	64-17-5 200-578-6	Ethanol	
	603-002-00-5 01-2119457610-43-XXXX	Flam Liq. 2 H225	50%
CAS: WE:	68424-85-1 270-325-2	Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (active substance)	
Index: Registration:	dex: No data available	Acute Tox. 4 H302, Skin Corr. 1 B H314, Aquatic Acute 1 H400, Aquatic Chronic 1 H410	5%

The full texts of H symbols and phrases are in section 16.

#### **SECTION 4. FIRST AID MEASURES**

# 4.1. Description of first aid measures:

#### Inhalation:

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air.

#### Skin contact:

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin burns or changes, get medical attention.

#### Eye contact:

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

#### Ingestion:

DO NOT induce vomiting. Give lots of water to drink. DO NOT give any neutralizing agents.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 2 of 10



# Safety Data Sheet

Immediately contact a doctor and show this MSDS or label.

### 4.2. Most important symptoms and effects, both acute and delayed:

#### Inhalation:

After long-time exposure, it may cause dizziness and drowsiness.

#### Skin:

No data available.

#### Eyes:

Corrosive. Causes serious damage to eyes.

#### Ingestion:

May cause irritation of the mucous membrane.

#### 4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.

Fresh water and eye-wash preparations must be available on the worksite.

## **SECTION 5. FIREFIGHTING MEASURES**

### 5.1. Extinguishing media:

# Suitable extinguishing media:

Atomized water, extinguishing powder and water mist.

Use extinguishing measures that are appropriate to local circumstances and surrounding environment.

#### Unsuitable extinguishing media:

There are not any known extinguishing media that you shouldn't use.

## 5.2. Special hazards arising from the substance or mixture:

Product is easily flammable.

#### 5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Protective chemical-proof gloves (0.11 mm thick), safety glasses.

### For emergency responders:

Protective clothes, self-contained breathing apparatus, protective chemical-proof gloves (0.11 mm thick), safety glasses.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 3 of 10



# **Safety Data Sheet**

#### 6.2. Environmental precautions:

Avoid discharge into drains, watercourses or onto the ground.

Very toxic to aquatic organisms with long lasting effects.

#### 6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone). Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

## 6.4. Reference to other sections:

See section 8 and 13.

#### **SECTION 7. HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling:

Be careful when working with this product.

Use personal protection recommended in section 8

Mix only with water. DO NOT mix with any other chemical substances.

People with skin allergy or respiratory system problems should not have contact with this product.

Avoid risk – read this instruction sheet carefully before using the product.

After usage, keep container tightly closed and keep it away from unauthorized people.

Use only adequate ventilation to avoid inhalation poisoning.

#### 7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 30°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

## 7.3. Specific end use(s):

No data available.

## **SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION**

#### 8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

NDS/NDSCh/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):

Ethanol (data for highly concentrated substance):

NDS: 1900mg/m³ not identified.
NDSP: not identified.

Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (active substance)

(data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 4 of 10



# **Safety Data Sheet**

#### DNEL /PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):

DNEL:

Group: workers, Exposure time: long-term, Exposure route: dermal,
Group: workers, Exposure time: long-term, Exposure route: inhalation,
Group: consumers, Exposure time: long-term, Exposure route: dermal,
Group: consumers, Exposure time: long-term, Exposure route: inhalation,
Group: consumers, Exposure time: long-term, Exposure route: inhalation,
Group: consumers, Exposure time: long-term, Exposure route: ingestion,
Value: 343 mg/kg
Value: 950 mg/m³
Value: 206 mg/kg
Value: 114 mg/m³
Value: 87 mg/kg

PNEC:

Aqua (fresh water): 0.96 mg/l Aqua (marine water): 0.79 mg/l Sediment (fresh water): 3.60 mg/kg Soil: 0.63 mg/kg

#### Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (data for highly concentrated substance):

DNEL:

Group: workers, Exposure time: long-term, Exposure route: inhalation, Value: 3.96 mg/m<sup>3</sup>

PNEC:

Aqua (fresh water): 0.0009 mg/l Aqua (marine water): 0.00009 mg/l

**NOTE:** When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

## 8.2. Exposure controls:

#### **RESPIRATORY PROTECTION:**

Not needed.

#### HAND PROTECTION:

Not needed.

### **EYE/FACE PROTECTION:**

Safety glasses.

#### **SKIN PROTECTION:**

Protective clothes.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1. Information on basic physical and chemical properties:

Appearance: Colourless liquid

Odour: Characteristic (alcoholic)

Odour threshold: No data available

**pH**: 7 ± 1

Melting point:No data availableFreezing point:No data available

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0



# **Safety Data Sheet**

Initial boiling point:

Boiling range:

No data available
No data available

Flash point: 23°C

**Evaporation rate:** No data available Flammability (solid, gas): No data available Upper flammability limit: No data available Lower flammability limit: No data available Upper explosive limit: No data available Lower explosive limit: No data available Vapour pressure: No data available Vapour density: No data available  $0.900 \pm 0.020 \text{ g/cm}^3$ Relative density:

Solubility:

A) Water: soluble

B) Organic solvent: No data available

Partition coefficient N-Octan:
Partition coefficient Water:
Auto-ignition temperature:
Decomposition temperature:
Viscosity:
Explosive properties:
No data available

9.2. Other information:

Refractive index: 20% Brix ± 5%

## **SECTION 10. STABILITY AND REACTIVITY**

## 10.1 Reactivity:

No data available.

#### 10.2 Chemical stability:

Stable under recommended storage conditions (see section 7).

## 10.3 Possibility of hazardous reactions:

Not applicable.

#### 10.4 Conditions to avoid:

Avoid heavily warmed rooms without ventilation and long-term exposure to sunlight.

## 10.5 Incompatible materials:

None.

### 10.6 Hazardous decomposition products:

Under the influence of high temperature, product releases carbon monoxide.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0

<sup>\* -</sup> Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).



# **Safety Data Sheet**

## **SECTION 11. TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects:

**ACUTE TOXICITY:** 

**Inhalation:** may cause sleepiness and dizziness.

**Skin contact:** no data available.

**Eye contact:** causes serious eye damage.

Digestive system: may cause irritation of the mucous membrane after swallowing.

ATEmix = 15 900 (acute toxicity, orally)

#### **DETAILS OF PARTICULAR COMPONENTS (according to substance's SDS):**

Ethanol (data for highly concentrated substance):

**LD50:** 6200 mg/kg **LC50:** 95.6 mg/l/4h

Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (data for highly concentrated substance):

**LD50:** 795 mg/kg (rat, orally)

# **SECTION 12. ECOLOGICAL INFORMATION**

#### 12.1. Toxicity:

Data for the mixture ingredients:

Ethanol (data for highly concentrated substance):

LC50: 8140 mg/l/48h (fish)
EC50: 9268-14221 mg/l/48h (daphnia)
EC50: 5000 mg/l/7days (algae)

Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (data for highly concentrated substance):

M factor acute = 10

## 12.2. Persistence and degradability:

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

Data for the mixture ingredients:

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 7 of 10



# **Safety Data Sheet**

Substance	Method	Length	Degraded percentage
Ethanol	Easily biodegradable	Easily biodegradable	Easily biodegradable
Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16))	OECD 301 D	28 days	> 60%

#### 12.3. Bioaccumulative potential:

Ethanol (data for highly concentrated substance):

Log Pow: 0.05

# 12.4. Mobility in soil

The product is water soluble and may sink into groundwater systems.

#### 12.5. Results of PBT and vPvB assessment:

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII..

#### 12.6. Other adverse effects:

No data available.

# **SECTION 13. DISPOSAL CONSIDERATIONS**

#### **RESIDUES AND WASTES:**

DO NOT mix with other liquid wastes.

DO NOT empty into sewage system. Product should be totally used up according to its description.

If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

#### 13.1. Waste treatment methods:

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

# **SECTION 14. TRANSPORT INFORMATION**

TRADE NAME: GRAN QAT

**14.1. UN Number:** 1993

**14.2. UN proper shipping name:** FLAMMABLE LIQUID, N.O.S. (ethanol)

**14.3. Transport hazard class(es):** ADR class. 3

14.4. Packing group: III
14.5. Environmental hazards: Yes

**14.6. Special precautions for user:** For more details see Sections 6 and 8.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: No data available.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 8 of 10



# **Safety Data Sheet**

#### **WARNING LABELS**



## **SECTION 15. REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

- 1) COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 2) REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.
- 3) COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto.
- 4) REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
- 5) COMMISSION REGULATION (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).
- 6) REGULATION (EU) No 259/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 March 2012 amending Regulation (EC) No 648/2004 as regards the use of phosphates and other phosphorus compounds in consumer laundry detergents and consumer automatic dishwasher detergents.
- 7) REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors).
- 8) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

## 15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For following mixture substances:

Ethanol: A Chemical Safety Assessment has been carried out. Alkyl (C12-16) dimethyl benzyl ammonium chloride (ADBAC/BKC (C12-16)) (active substance): No data available

# **SECTION 16. OTHER INFORMATION**

Information above is based on current knowledge of product in its current form.

All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0 Page 9 of 10



# **Safety Data Sheet**

them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

#### The full list of symbols and H phrases from Section 2 and 3:

Aquatic Acute 1

Aquatic Chronic 1

Aquatic Chronic 2

Flam Lig. 2

— Hazardous to the aquatic environment - Acute Hazard, category 1

— Hazardous to the aquatic environment - Chronic Hazard, category 1.

— Hazardous to the aquatic environment - Chronic Hazard, category 2.

— Flammable liquid and vapour, category 2.

Flam Liq. 2 — Flammable liquid and vapour, category 2.

Flam Liq. 3 — Flammable liquid and vapour, category 3.

Eye Dam. 1 — Serious eye damage, category 1.

Skin Corr. 1B — Corrosive to skin, category 1B.

Acute Tox. 4 — Corrosive to skin, category 4.

H225 – Highly flammable liquid and vapour.
 H226 – Flammable liquid and vapour.
 H302 – Harmful if swallowed.

**H314** – Causes severe skin burns and eye damage.

H318 — Causes serious eye damage. H400 — Very toxic to aquatic life.

H410 – Very toxic to aquatic life with long lasting effects.
 H411 – Toxic to aquatic life with long lasting effects.

More information on the product can be found on the specific technical data sheet which is available on www.tenzi.pl

#### Training:

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

#### **Expiry date:**

12 months from the production date (if product is stored according to the producent recommendations)

Product has Certificate of the National Institute of Hygiene – PZH.

#### Changes compared to the previous version:

general update.

Updated cards versions are now available on www.tenzi.pl

This Safety Data Sheet contains 10 pages. Changes in the content by unauthorized people is prohibited.

Creation date: 13.06.2016 Revision date: 27.11.2018

Version: 1.0