

TOP EFEKT CONTRA

Safety Data Sheet

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** TOP EFEKT CONTRA
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
Product designed for cleaning highly contaminated surfaces (warehouse halls, hypermarkets, industrial areas, food processing departments etc.). Removes all kinds of protective layers (polymeric, acrylic).
- 1.3 Details of the supplier of the safety data sheet:**
TENZI Sp. z o.o.
Skarbimierzyce 20
72-002 Dołuje
tel. +48 91 3119777
fax. +48 91 3119779
E-mail address for a competent person responsible for SDS: technolog@tenzi.pl
- 1.4 Emergency telephone number:**
+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

SECTION 2. HAZARDS IDENTIFICATION

- 2.1. Classification of the substance or mixture:**
Classification according to Regulation (EC) No. 1272/2008:
Skin Corr. 1A H314 – Causes severe skin burns and eye damage.
Eye Dam. 1 H318 – Causes serious eye damage.

- 2.2. Label elements:**
(According to 1272/2008/EC*)

Hazard symbols:



Signal words:
DANGER

Hazard statements:
H314 – Causes severe skin burns and eye damage.

Precautionary statements:
P280 – Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 – IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 – Immediately call a POISON CENTER/doctor

TOP EFEKT CONTRA

Safety Data Sheet

P405

– Store locked up.

2.3. Other hazards:

Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1. Substances:

Not applicable.

3.2. Mixtures:

Composition (according to: 648/2004/EC):

- < 7% sodium hydroxide
- < 2% potassium hydroxide
- < 5% phosphonates
- < 5% silicates
- 5-15% anionic surfactants
- < 5% non-ionic surfactants
- auxiliary substances not classified as dangerous

Identification	Hazardous ingredient/classification	Concentration
CAS: 15763-76-5 WE: 239-854-6 Index: No data available Registration: 01-2119489411-37-XXXX	Sodium cumenesulphonate Eye Irrit. 2 H319	< 9%
CAS: 1310-73-2 WE: 215-185-5 Index: 011-002-00-6 Registration: 01-2119457892-27-XXXX	Sodium hydroxide Skin Corr. 1A H314, Met. Corr. 1 H290	< 7%
CAS: 68439-54-3 WE: Polymer Index: No data available Registration: No data available	Non-ionic surfactants Eye Dam. 1 H318, Acute Tox. 4 H302	< 5%
CAS: 2809-21-4 WE: 220-552-8 Index: No data available Registration: No data available	Phosphonates Acute Tox. 4 H302, Met. Corr. 1 H290, Eye Dam. 1 H318, Skin Irrit. 2 H315	< 5%
CAS: 1310-58-3 WE: 215-181-3 Index: 019-002-00-8 Registration: 01-2119487136-33-XXXX	Potassium hydroxide Acute Tox.4 H302, Skin Corr. 1A H314, Met. Corr. 1 H290	< 2%
CAS: 10213-79-3 WE: 229-912-9 Index: No data available Registration: No data available	Sodium metasilicate Skin Corr. 1B H314, STOT SE 3 H335, Met. Corr. 1 H290	< 1%

The full texts of H symbols and phrases are in section 16.

TOP EFEKT CONTRA

Safety Data Sheet

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures:

Inhalation:

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air. Lay him down in semi-recumbent posture and make sure to keep him calm and warm. Physical effort may cause pulmonary edema. Get medical attention.

Skin contact:

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin changes or burns, get medical attention.

Eye contact:

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

Ingestion:

Do not induce vomiting. Get lots of water to drink. Do not take any neutralizing agents. Get medical attention and show them this SDS or product's label.

4.2. Most important symptoms and effects, both acute and delayed:

Inhalation:

Corrosive. May cause serious irritation of the upper respiratory tract, burns or even chemical pneumonia and pulmonary edema. Symptoms include coughing, sore throat, breathing difficulties.

Skin:

Causes serious skin burns. May cause wounds and deep ulceration.

Eyes:

Corrosive, causes severe eye burns, chemical conjunctivitis and corneal damage (redness, intense pain), possible irreversible impairment of vision or blindness.

Ingestion:

Corrosive. Causes burns in mouth, throat and stomach.

4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.
Fresh water and eye-wash preparations must be available on the worksite.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media:

Suitable extinguishing media:

Atomized water, foam, extinguishing powder, carbon dioxide.

Unsuitable extinguishing media:

Do not use water jet on substance's surface.

5.2. Special hazards arising from the substance or mixture:

Product is non-flammable.

TOP EFEKT CONTRA

Safety Data Sheet

5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Protective chemical-proof gloves (0.11 mm thick), safety glasses.

For emergency responders:

Protective clothes, protective chemical-proof gloves (0.11 mm thick), self-contained breathing apparatus, safety glasses. Avoid skin and eye contact. Provide proper ventilation..

6.2. Environmental precautions:

Avoid discharging the product into sewage system and onto the ground at all costs.

6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone). Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

6.4. Reference to other sections:

See section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling:

Be careful when working with this product.
Use personal protection recommended in section 8
Mix only with water. DO NOT mix with any other chemical substances.
People with skin allergy or respiratory system problems should not have contact with this product.
Avoid risk – read this instruction sheet carefully before using the product.
After usage, keep container tightly closed and keep it away from unauthorized people.
Use only adequate ventilation to avoid inhalation poisoning.

7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor.
DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

7.3. Specific end use(s):

No data available.

TOP EFEKT CONTRA

Safety Data Sheet

SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

NDS/NDSCh/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):

Sodium cumenesulphonate (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified

Sodium hydroxide (data for highly concentrated substance):

NDS: 0.5 mg/m³

NDSCh: 1 mg/m³

NDSP: not identified.

Non-ionic surfactants (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

Phosphonates (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

Potassium hydroxide (data for highly concentrated substance):

NDS: 0.5 mg/m³

NDSCh: 1 mg/m³

NDSP: not identified.

Sodium metasilicate (data for highly concentrated substance):

NDS, NDSCh, NDSP: not identified.

DNEL /PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):

Sodium cumenesulphonate (data for highly concentrated substance):

DNEL:

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect,	Value: 7.6 mg/kg
Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect,	Value: 53.6 mg/m ³
Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect,	Value: 3.8 mg/kg
Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect,	Value: 13.2 mg/m ³
Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: systemic effect,	Value: 3.8 mg/kg

Sodium hydroxide (data for highly concentrated substance):

DNEL, PNEC: not identified.

Non-ionic surfactants (data for highly concentrated substance):

DNEL, PNEC: not identified.

Phosphonates (data for highly concentrated substance):

DNEL, PNEC: not identified.

TOP EFEKT CONTRA

Safety Data Sheet

Potassium hydroxide (data for highly concentrated substance):

DNEL, PNEC: No data available.

Sodium metasilicate (data for highly concentrated substance):

DNEL, PNEC: No data available.

NOTE: When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

8.2. Exposure controls:

RESPIRATORY PROTECTION:

In case of insufficient ventilation, it is recommended to wear a gas mask with vapour absorber.

HAND PROTECTION:

Protective chemical-proof gloves (0.11 mm thick)

EYE/FACE PROTECTION:

Safety glasses. In case of contact with skin, use face shield.

SKIN PROTECTION:

Protective clothes.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties:

Appearance:	Colourless liquid
Odour:	Characteristic for materials used in production
Odour threshold:	No data available
pH:	14 ± 1
Melting point:	No data available
Freezing point:	No data available
Initial boiling point:	No data available
Boiling range:	No data available
Flash point:	No data available
Evaporation rate:	No data available
Flammability (solid, gas):	No data available
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Upper explosive limit:	No data available
Lower explosive limit:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Relative density:	1.150 ± 0.020 g/cm ³
Solubility:	
A) Water:	soluble
B) Organic solvent:	No data available
Partition coefficient N-Octan:	No data available
Partition coefficient Water:	No data available

TOP EFEKT CONTRA

Safety Data Sheet

Auto-ignition temperature: No data available
Decomposition temperature: No data available
Viscosity: No data available
Explosive properties: No data available
Oxidising properties: No data available

9.2. Other information:

Refractive index: 35% Brix* \pm 5%

* - Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity:

Mixture is not reactive.

10.2 Chemical stability:

Stable under recommended storage conditions (see section 7).

10.3 Possibility of hazardous reactions:

May violently react with acids, creating chemical salts (releases warmth).

10.4 Conditions to avoid:

Avoid heavily warmed rooms without ventilation and long-term exposure to sunlight.

10.5 Incompatible materials:

Acids, strong oxidizers.

10.6 Hazardous decomposition products:

Not known.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

ACUTE TOXICITY:

Inhalation:

Corrosive. May cause serious irritation of the upper respiratory tract, burns or even chemical pneumonia and pulmonary edema. Symptoms include coughing, sore throat, breathing difficulties.

Skin:

Causes serious skin burns. May cause wounds and deep ulceration.

Eyes:

Corrosive, causes severe eye burns, chemical conjunctivitis and corneal damage (redness, intense pain), possible irreversible impairment of vision or blindness.

Ingestion:

Corrosive. Causes burns in mouth, throat and stomach.

TOP EFEKT CONTRA

Safety Data Sheet

ATEmix = 4989 (acute toxicity, orally)

DETAILS OF PARTICULAR COMPONENTS (according to substances SDS):

Sodium cumenesulphonate (data for highly concentrated substance):

LD50: >7000 mg/kg (rat, orally)
LD50: >2000 mg/kg (rabbit, dermal)

Doesn't irritate the skin.
p-cumenesulphonate sodium slightly irritates skin (rabbit, OECD 404).
Seriously damage eyes.
p-cumenesulphonate sodium irritates eyes (rabbit, OECD 405).
No allergic effects (guinea pig, OECD 406).
No mutagenic effects.
No carcinogenic effects (rat, OECD 453)

Reproductive toxicity:

NOAEL: > 936 mg/kg (rat, orally)
No problems detected.

Teratogenicity:

NOAEL: > 936 mg/kg (rat)
No problems detected.

Chronic toxicity:

NOAEL: > 440 mg/kg (dermal) (OECD 411)
NOAEL: 763-3534 mg/kg (orally) (OECD 408)

Sodium hydroxide (data for highly concentrated substance):

LD50: 500 mg/kg (rat, orally)

Very harmful after swallowing. Causes burns in mouth, throat and stomach. Risk of gastrointestinal perforation.
Corrosive effects on skin. Burns, deep wounds and skin necrosis.
Serious and irreversible eye damage. Risk of blindness.
No allergic effects.
No mutagenic effects.
No carcinogenic effects.
Corrosive effects on respiratory system. Causes irritation of the mucous membrane.

Non-ionic surfactants (data for highly concentrated substance):

LD50: >300-2000 mg/kg (rat, orally)
LD50: >2000 mg/kg (rat, dermal)

Harmful after ingestion.
Contact with eyes may cause irreversible damage (rabbit).

Phosphonates (data for highly concentrated substance):

LD50: 1800 mg/kg (mouse, orally)
LD50: 3000 mg/kg (rat, inhalation)

Serious eye damage detected.
Skin irritation detected.

TOP EFEKT CONTRA

Safety Data Sheet

No allergic effects.
No mutagenic effects.
No carcinogenic effects.
No reproductive problems.

Potassium dioxide (data for highly concentrated substance):

LD50: 273 mg/kg (rat, orally)

Causes skin burns (rabbit).
Causes eye burns (rabbit).
No allergic effects (guinea pig).
No mutagenic effects.

Effects on human body:

Strongly affects mucous membranes: eyes, upper respiratory tract (cough, dyspnea) and skin (tissue necrosis)
Repeated or long-time exposure may be the case of dermatitis and degradation of the mucous membrane upper respiratory tract.

Sodium metasilicate (data for highly concentrated substance):

LD50: 1152-1349 mg/kg (rat, orally)
LC50: > 2.06mg/m³ (rat, inhalation)
LD50: > 5000 mg/kg (rat, dermal)

Corrosive to skin.
Corrosive to eyes.
No allergic effects.
No mutagenic effects.
No reproductive problems

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity:

Data for the mixture ingredients:

Sodium cumenesulphonate (data for highly concentrated substance):

EC50:	> 1000 mg/l/48h	(daphnia)	(EPA OPPTS EPA OTS 797.1300)
EbC50:	> 230 mg/l/96h	(algae)	(EPA OPPTS EPA OTS 797.1050)
NOEC:	31 mg/l/96h	(algae)	(EPA OPPTS)
ErC50:	> 1000 mg/l/3h	(bacteria)	(OECD 209/active sediment)
LC50:	> 1000 mg/l/96h	(fish)	(EPA OPPTS EPA OTS 797.1400)

Sodium hydroxide (data for highly concentrated substance):

Toxic for animals, aquatic organisms and bacteria. May adversely affect plant growth.

LC0:	157 mg/l/48h	(fish)
LC50:	189 mg/l/48h	(fish)
LC100:	213 mg/l/48h	(fish)

TOP EFEKT CONTRA

Safety Data Sheet

Non-ionic surfactants (data for highly concentrated substance):

LC50:	> 1-10 mg/l/96h	(Cyprinus carpio)	(OECD 203)
EC50:	> 1-10 mg/l/48h	(Daphnia magna)	(OECD 202)
EC50:	> 1-10 mg/l/72h	(Scenedesmus subsipicatus)	(OECD 201)

Phosphonates (data for highly concentrated substance):

EC50:	292 mg/l/48h	(daphnia)
LC50:	350 mg/l/96h	(fish)

Potassium dioxide (data for highly concentrated substance):

LC50:	80 ppm	(Gambusia affinis)
LC50:	660 ppm	(Daphnia magna)
EC50:	1337 ppm	(Nitscherai Linearis)

Sodium metasilicate (data for highly concentrated substance):

LC50:	210 mg/l/96h	(fish, Brachydanio rerio)
EC50:	1700 mg/l/48h	(daphnia, Daphnia magna)
EC50:	207 mg/l/72h	(algae, Scenedesmus subspicatus)

12.2. Persistence and degradability:

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

Data for the mixture ingredients:

Substance	Method	Length	Degraded percentage
Sodium hydroxide	Easily biodegradable	Easily biodegradable	Easily biodegradable
Non-ionic surfactants	OECD 301 A	28 days	> 70%
Non-ionic surfactants	OECD 301 B	28 days	> 60%
Phosphonates	No data available	No data available	No data available
Potassium dioxide	Inorganic substance	Inorganic substance	Inorganic substance
Sodium cumenesulphonate	OECD 301 B	28 days	100%

Sodium metasilicate (data for highly concentrated substance):

Substance undergoes hydrolyze when in water.

Because of the good solubility in water, substance may sink into groundwaters and may be detected far away from the place of spill.

Phosphonates (data for highly concentrated substance):

ChZT:	230000 mg/l
BZT:	15700 mg/l

TOP EFEKT CONTRA

Safety Data Sheet

12.3. Bioaccumulative potential:

Sodium cumenesulphonate (data for highly concentrated substance):

Log Pow = -1.1 (low).

Sodium hydroxide (data for highly concentrated substance):

No data available.

Non-ionic surfactants (data for highly concentrated substance):

No data available.

Phosphonates (data for highly concentrated substance):

No data available.

Potassium dioxide (data for highly concentrated substance):

Not bioaccumulative.

Sodium metasilicate (data for highly concentrated substance):

Low bioaccumulative potential.

12.4. Mobility in soil

The product is water soluble and may sink into groundwater systems.

12.5. Results of PBT and vPvB assessment:

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII..

12.6. Other adverse effects:

No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

RESIDUES AND WASTES:

DO NOT mix with other liquid wastes.

DO NOT empty into sewage system. Product should be totally used up according to its description.

If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

13.1. Waste treatment methods:

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

TOP EFEKT CONTRA

Safety Data Sheet

SECTION 14. TRANSPORT INFORMATION

TRADE NAME: TOP EFEKT CONTRA

- 14.1. UN Number:** 1719.
14.2. UN proper shipping name: Caustic alkali liquid, N.O.S. (sodium hydroxide, potassium hydroxide).
14.3. Transport hazard class(es): ADR NR 8
14.4. Packing group: II
14.5. Environmental hazards: No.
14.6. Special precautions for user: For more details see Sections 6 and 8.
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: No data available.

WARNING LABELS



SECTION 15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

- 1) COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- 2) REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents.
- 3) COMMISSION REGULATION (EC) No 907/2006 of 20 June 2006 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes III and VII thereto.
- 4) REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
- 5) COMMISSION REGULATION (EC) No 551/2009 of 25 June 2009 amending Regulation (EC) No 648/2004 of the European Parliament and of the Council on detergents, in order to adapt Annexes V and VI thereto (surfactant derogation).
- 6) REGULATION (EU) No 259/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 14 March 2012 amending Regulation (EC) No 648/2004 as regards the use of phosphates and other phosphorus compounds in consumer laundry detergents and consumer automatic dishwasher detergents.
- 7) REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors).
- 8) REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

15.2. Chemical safety assessment

For mixture:

A Chemical Safety Assessment has not been carried out.

For following mixture substances:

- Sodium cumenesulphonate:** A Chemical Safety Assessment has been carried out.
Sodium hydroxide: A Chemical Safety Assessment has been carried out.
Non-ionic surfactants: No data available.

TOP EFEKT CONTRA

Safety Data Sheet

Phosphonates:	A Chemical Safety Assessment has not been carried out.
Potassium dioxide:	A Chemical Safety Assessment has been carried out.
Sodium metasilicate:	Substance registered introductory with transitional period.

SECTION 16. OTHER INFORMATION

Information above is based on current knowledge of product in its current form. All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

The full list of symbols and H phrases from Section 2 and 3:

Acute Tox. 4	– Acute toxicity, category 4.
Met.Corr 1	– Substance/Mixture is corrosive to metals, category 1
Eye Dam. 1	– Serious eye damage, category 1.
Skin Irrit. 2	– Causes skin irritation, category 2.
Skin Corr. 1A	– Corrosive to skin, category 1A.
Skin Corr. 1B	– Corrosive to skin, category 1B.
Eye Irrit. 2	– Causes serious eye irritation, category 2.
STOT SE 3	– Specific target organ toxicity - Single exposure STOT, category 3.
H290	– May be corrosive to metals.
H302	– Harmful if swallowed.
H314	– Causes severe skin burns and eye damage.
H315	– Causes skin irritation.
H318	– Causes serious eye damage.
H319	– Causes serious eye irritation.
H335	– May cause respiratory irritation.

More information on the product can be found on the specific technical data sheet which is available on www.tenzi.pl

Training:

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

Expiry date:

36 months from the production date (if product is stored according to the producent recommendations)

Changes compared to the previous version:

- section 14

Updated cards versions are now available on www.tenzi.pl

This Safety Data Sheet contains 13 pages. Changes in the content by unauthorized people is prohibited.