

according to Regulation (EC) No 1907/2006 (REACH) as amended

## **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier ACTIVE FOAM - RED

Substance / mixture mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Mixture's intended use

Active car washing foam.

### Mixture uses advised against

not available

### 1.3. Details of the supplier of the safety data sheet

#### Manufacturer

Name or trade name TENZI Sp. z o.o.

Address Skarbimierzyce 20, Dołuje, 72-002

Poland

 VAT Reg No
 PL8512583405

 Phone
 +48 91 3119777

 E-mail
 info@tenzi.pl

 Web address
 www.tenzi.pl

### Competent person responsible for the safety data sheet

Name technolog@tenzi.pl
E-mail technolog@tenzi.pl

### 1.4. Emergency telephone number

European emergency number: 112

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

### Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

### Most serious adverse effects on human health and the environment

Causes serious eye damage. Causes skin irritation. Harmful to aquatic life with long lasting effects.

### 2.2. Label elements

### **Hazard pictogram**



Signal word

Danger

### **Hazardous substances**

Sodium Lauryl Ether Sulfate Sodium lauryl sulfate

D-glucopyranose, C8-10 alkyl glycosides oligomers

### **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

**Precautionary statements** 

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of container to properly labeled waste containers in accordance with

national regulations.

**Supplemental information** 

EUH208 Contains dipentene. May produce an allergic reaction.

5-<15 % anionic surfactants, <5 % non-ionic surfactants, perfumes, Limonene

#### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Chemical characterization**

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 68891-38-3 EC: 500-234-8 Registration number: 01-2119488639-16- XXXX	Sodium Lauryl Ether Sulfate	<5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: $C \ge 10 \%$ Eye Irrit. 2, H319: $5 \% \le C < 10 \%$	
CAS: 85586-07-8 EC: 287-809-4 Registration number: 01-2119489463-28- XXXX	Sodium lauryl sulfate	<2,5	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C ≥ 20 % Eye Irrit. 2, H319: 10 % ≤ C < 20 %	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44- XXXX	2-(2-butoxyethoxy)ethanol	<2,5	Eye Irrit. 2, H319	2, 3
CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36	D-glucopyranose, C8-10 alkyl glycosides oligomers	<2	Eye Dam. 1, H318	
Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27- XXXX	sodium hydroxide	<0,7	Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: 2 % ≤ C < 5 % Skin Corr. 1A, H314: $C \ge 5$ % Eye Irrit. 2, H319: 0,5 % ≤ C < 2 % Skin Irrit. 2, H315: 0,5 % ≤ C < 2 %	



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date Revision date	22nd September 2021	Ve	rsion	1.0	
Identification numbers	Substance name		Content in % weight	Classification according to Regulation (EC) No 1272/2008	Ν

Identification numbers

Substance name

Content in % weight

Regulation (EC) No 1272/2008

Note

Note

1

Note

Note

Note

Note

1

Note

#### **Notes**

- 1 Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers.
- 2 Substance with a Union workplace exposure limit.
- 3 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

#### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

### 4.2. Most important symptoms and effects, both acute and delayed

#### . If inhaled

Inhaling vapours can cause corrosion of the breathing system.

### If on skin

Causes skin irritation.

#### If in eves

Causes serious eye damage.

#### If swallowed

Corrosion of the digestion system can occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

Content	Packaging type	Material of package
20 I	jerry can	HDPE
51	jerry can	HDPE
10	jerry can	HDPE

Storage temperature

min 5 °C, max 35 °C

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

### **European Union**

### Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
	OEL 8 hours	67,5 mg/m <sup>3</sup>
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 8 hours	10 ppm
	OEL 15 minutes	101,2 mg/m <sup>3</sup>



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **ACTIVE FOAM - RED**

Creation date Revision date 22nd September 2021

\_\_\_\_\_ Version 1.0

### **European Union**

### Commission Directive 2006/15/EC

Substance name (component)	Туре	Value
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 15 minutes	15 ppm

#### **DNEL**

### 2-(2-butoxyethoxy)ethanol

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	20 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Systemic chronic effects		SDS
Workers	Inhalation	67.5 mg/l	Local chronic effects		SDS
Consumers	Inhalation	50.6 mg/l	Local acute effects		SDS
Consumers	Dermal	10 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	3 mg/l	Systemic chronic effects		SDS
Consumers	Oral	1.25 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	34 mg/l	Local chronic effects		SDS

### D-glucopyranose, C8-10 alkyl glycosides oligomers

b glacopyranoscy do 10 ankyr grycosiaes ongomers					
Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	595000 mg/kg	Systemic chronic effects		SDS
Workers	Inhalation	420 mg/m <sup>3</sup>	Systemic chronic effects		SDS
Consumers	Dermal	357000 mg/kg	Systemic chronic effects		SDS
Consumers	Oral	35.7 mg/kg	Systemic chronic effects		SDS
Consumers	Inhalation	124 mg/m <sup>3</sup>	Systemic chronic effects		SDS

### sodium hydroxide

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Inhalation	1.0 mg/m <sup>3</sup>	Local chronic effects		SDS
Consumers	Inhalation	1.0 mg/m <sup>3</sup>	Local chronic effects		SDS

## Sodium Lauryl Ether Sulfate

Workers / consumers	Route of exposure	Value	Effect	Determining method	Source
Workers	Dermal	2750 mg/kg	Local chronic effects		karta charakterystyki
Workers	Inhalation	175 mg/kg	Local chronic effects		karta charakterystyki
Consumers		1650 mg/kg	Local chronic effects		karta charakterystyki
Consumers	Inhalation	52 mg/m <sup>3</sup>	Local chronic effects		karta charakterystyki
Consumers	Food chain	15 mg/m <sup>3</sup>	Local chronic effects		karta charakterystyki

### PNEC

### 2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Determining method
Drinking water	1 mg/l	
Seawater	0.1 mg/l	
Freshwater sediment	4 mg/kg	
Sea sediments	0.4 mg/kg	



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### 2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Determining method
Soil (agricultural)	0.4 mg/kg	
Microorganisms in wastewater treatment plants	200 mg/l	
Oral	56 mg/kg	

#### D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Value	Determining method
Drinking water	0.176 mg/l	
Seawater	0.0176 mg/l	
Water (intermittent release)	0.27 mg/l	
Microorganisms in wastewater treatment plants	560 mg/l	
Freshwater sediment	1.516 mg/kg	
Sea sediments	0.152 mg/kg	
Soil (agricultural)	0.654 mg/kg	
Oral	111.11 mg/kg	

#### Sodium Lauryl Ether Sulfate

Route of exposure	Value	Determining method
Drinking water	0.24 mg/l	
Seawater	0.024 mg/l	(R)
Freshwater sediment	5.45 mg/kg	
Sea sediments	0.545 mg/kg	
Microorganisms in wastewater treatment plants	10 mg/l	
Soil (agricultural)	0.946 mg/kg	

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

## **Respiratory protection**

It is not needed.

### Thermal hazard

Data not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state liquid Colour red

Odour characteristic of the composition used for

Melting point/freezing point data not available
Boiling point or initial boiling point and boiling range data not available
Flammability data not available
Lower and upper explosion limit data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

Flash point data not available
Auto-ignition temperature data not available
Decomposition temperature data not available
pH 12 (undiluted)
Kinematic viscosity data not available

Solubility in water soluble

Partition coefficient n-octanol/water (log value) data not available Vapour pressure data not available

Density and/or relative density

Density 1,020 - 1,060 g/cm<sup>3</sup>
Relative vapour density data not available

Relative vapour density data not available
Particle characteristics data not available

Form

#### 9.2. Other information

not available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not available

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

#### **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### **Acute toxicity**

Based on available data the classification criteria are not met.

### 2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50		2410 mg/kg		Mouse			SDS
Dermal	LD50		2764 mg/kg		Rabbit			SDS

#### D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50	OECD 401	>5000 mg/kg		Rat			SDS
Dermal	LD <sub>50</sub>	OECD 402	>5000 mg/kg					SDS



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### sodium hydroxide

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Intraperitonea lly	LD50		40 mg/kg		Mouse			SDS
Oral	LDL0		500 mg/kg		Rabbit			SDS
Oral	TDLo		44 mg/kg		Rat (Rattus norvegicus)			SDS

### Sodium Lauryl Ether Sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	LD50		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Skin	LD50		>2000 mg/kg		Rat (Rattus norvegicus)			karta charakt erystyki
Oral (drinking water)	NOAEL	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M		karta charakt erystyki
Oral (drinking water)	NOAEL (F1)	OECD 416	>300 mg/kg		Rat (Rattus norvegicus)	F/M	Reproduction	karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)		R	karta charakt erystyki
Oral	NOAEL	OECD 414	>1000 mg/kg	10 day	Rat (Rattus norvegicus)	F		karta charakt erystyki
Oral	NOAEL	OECD 408	>225 mg/kg	90 day	Rat (Rattus norvegicus)			karta charakt erystyki

### Sodium lauryl sulfate

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Determining method	Source
Oral	ARE		1800 mg/kg		Rat			karta charakt erystyki
Dermal	LD50		>2000 mg/kg		Rabbit			karta charakt erystyki

### Skin corrosion/irritation

Causes skin irritation.

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Slightly irritating			SDS

### Sodium lauryl sulfate

Route of exposure	Result	Time of exposure	Species	Source
	Irritating			karta charakterystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

#### Serious eye damage/irritation

Causes serious eye damage.

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Serious eye damage			SDS

#### Sodium lauryl sulfate

Route of exposure	Result	Time of exposure	Species	Source
	Serious eye damage			karta charakterystyki

### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Sodium lauryl sulfate

Route of exposure	Parameter	Value	Result	Species	Sex	Source
Oral	NOEL	>1125 mg/kg	Not carcinogenic	Rat		karta charakteryst yki

### **Reproductive toxicity**

Based on available data the classification criteria are not met.

### Sodium lauryl sulfate

Effect	Parameter	Value	Result	Species	Sex	Source
	NOEL	250 mg/kg		Rat		karta charakteryst yki

### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### **Aspiration hazard**

Based on available data the classification criteria are not met.

#### 11.2. Information on other hazards

not available

### **SECTION 12: Ecological information**

12.1. Toxicity



according to Regulation (EC) No 1907/2006 (REACH) as amended

## **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### **Acute toxicity**

Harmful to aquatic life with long lasting effects.

## 2-(2-butoxyethoxy)ethanol

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50		1300 mg/l		Fishes (Lepomis macrochirus)		SDS
EC50		>100 mg/l		Aquatic invertebrates (Daphnia magna)		SDS
EC50	OECD 201	>100 mg/l		Algae (Scenedesmus subspicatus)		SDS
EC 10	OECD 209	>1995 mg/l				SDS

### D-glucopyranose, C8-10 alkyl glycosides oligomers

Parameter	Method	Value Time of exposure Species		Species	Environme nt	Source
LC50	OECD 203	>100 mg/l	96 hour	Fishes (Branchydanio rerio)		SDS
EC50		>100 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)	P	SDS
EC50	OECD 201	>10<100 mg/l	72 hour	Algae (Desmodesmus subspicatus)		SDS
EC10		>100 mg/l	6 hour	Microorganisms (Pseudomonas putida)		SDS
NOEC	OECD 204	>1 mg/l	28 day	Fishes (Branchydanio rerio)		SDS
NOEC	OECD 202	>1 mg/l	21 day	Daphnia (Daphnia magna)		SDS

### sodium hydroxide

Parameter	Method Value Time of exposure		Method Value Time of exposure Species		Environme nt	Source	
EC50		40.4 mg/l	48 hour	Aquatic invertebrates (Ceriodaphnia dubia)		SDS	
EC50		22 mg/l	15 min	Microorganisms (Photobacterium phosphoreum)		SDS	

### Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LD50	OECD 203	>1-10 mg/l	96 hour	Fishes (Branchydanio rerio)		karta charakter ystyki
NOEC		1.2 mg/l		Fishes (Branchydanio rerio)		karta charakter ystyki
EC50	OECD 202	>1-10 mg/l	48 hour	Other aquatic organisms (Daphnia magna)		karta charakter ystyki



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

Sodium Lauryl Ether Sulfate

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
NOEC	OECD 211	>0.1-1.0 mg/l	21 day	Daphnia (Daphnia magna)		karta charakter ystyki
EC50	OECD 201	>10-100 mg/l	72 hour	Algae (Desmodesmus subspicatus)		karta charakter ystyki
EC10		10000 mg/l		Bacteria (Pseudomonas putida)		karta charakter ystyki

Sodium lauryl sulfate

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50		3.6 mg/l	96 hour	Fishes (Oncorhynchus mykiss)		karta charakter ystyki
NOEC		>1.357 mg/l	42 hour	Fishes (Oncorhynchus mykiss)		karta charakter ystyki
EC50		4.7 mg/l	48 hour	Daphnia (Daphnia magna)		karta charakter ystyki

### 12.2. Persistence and degradability

### **Biodegradability**

D-glucopyranose, C8-10 alkyl glycosides oligomers

Parameter	Value	Time of exposure	Environment	Result	Source
				Biodegradable	karta charakteryst yki

The mixture is biodegradable.

### 12.3. Bioaccumulative potential

Data not available.

### 12.4. Mobility in soil

Sodium lauryl sulfate

Soulain laar it Sanace				
Parameter	Value	Environment	Surrounding temperature	Source
Кос	316-446		2°C	karta charakterystyki
Koc	1337-1567 mg/kg		2°C	karta charakterystyki

Data not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

not available

### 12.7. Other adverse effects

Data not available.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### **Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors \*

### Packaging waste type code

15 01 02 plastic packaging

(\*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

#### **SECTION 14: Transport information**

#### 14.1. UN number or ID number

not subject to transport regulations

### 14.2. UN proper shipping name

not relevant

## 14.3. Transport hazard class(es)

not relevant

### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

No

#### 14.6. Special precautions for user

not available

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

### Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

### 2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

### 15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture.

Sodium Lauryl Ether Sulfate: the manufacturer has performed a chemical safety assessment

Sodium lauryl sulfate: the manufacturer has performed a chemical safety assessment.

D-glucopyranose, C8-10 alkyl glycosides oligomers: the manufacturer has performed a chemical safety assessment

2-(2-butoxyethoxy)ethanol: A Chemical Safety Assessment has been carried out Sodium hydroxide: the manufacturer has performed a chemical safety assessment

Limonene: no data available

### **SECTION 16: Other information**

ΑI	ist	of	sta	ndard	risk	phra	ases	used	in	the	safe	ty (	dat	ta s	heet	
----	-----	----	-----	-------	------	------	------	------	----	-----	------	------	-----	------	------	--

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Guidelines for safe handling used in the safety data sheet

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of container to properly labeled waste containers in accordance with

national regulations.

### A list of additional standard phrases used in the safety data sheet

EUH208 Contains dipentene. May produce an allergic reaction.

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

itcy to abbictiation	is and acronyins asea in the sarcty data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

DNEL Derived no-effect level

EC Identification code for each substance listed in EINECS

EC50 Concentration of a substance when it is affected 50% of the population EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

LC50 Lethal concentration of a substance in which it can be expected death of 50% of the

population

LD50 Lethal dose of a substance in which it can be expected death of 50% of the

population

log Kow Octanol-water partition coefficient

MARPOL International Convention for the Prevention of Pollution from Ships

NOAEL No observed adverse effect level
NOEC No observed effect concentration
NOEL No observed effect level

OEL Occupational Exposure Limits

PBT Persistent, Bioaccumulative and Toxic
PNEC Predicted no-effect concentration

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Acute Tox. Acute toxicity

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Eye Dam. Serious eye damage

Eye Irrit.

Flam. Liq.

Met. Corr.

Skin Corr.

Skin corrosion

Skin Irrit.

Skin Sens.

Skin sensitization

### **Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### **Recommended restrictions of use**

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### More information



according to Regulation (EC) No 1907/2006 (REACH) as amended

### **ACTIVE FOAM - RED**

Creation date 22nd September 2021

Revision date Version 1.0

Classification procedure - calculation method.

#### **Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.