| | | C | AR MAX | |
|--------|------------------------|-----------------------------|----------------------------|-------------------------------------|
| Creati | on date | 10th August 2000 | | |
| Revisi | on date | 12th May 2021 | Version | 2.0 |
| SECT | ON 1: Identification | of the substance/mixture | e and of the company/u | ndertaking |
| 1.1. | Product identifier | | CAR MAX | |
| | Substance / mixture | | mixture | |
| 1.2. | Relevant identified | uses of the substance or | mixture and uses advise | ed against |
| | Mixture's intended | use | | |
| | 5 | 3 , 3 , | ery and passenger cars, en | gines and other highly contaminated |
| | elements, resistant to | o alkaline products. | | |
| | Mixture uses advis | ed against | | |
| | not available | - | | |
| 1.3. | Details of the supp | lier of the safety data she | et | |
| | Manufacturer | | | |
| | Name or trade | name | TENZI Sp. z o.o. | |
| | Address | | | 20, Dołuje, 72-002 |
| | | | Poland | |
| | VAT Reg No | | PL8512583405 | |
| | Phone | | +48 91 3119777 | , |
| | E-mail | | info@tenzi.pl | |
| | Web address | | www.tenzi.pl | |
| | Competent person | responsible for the safety | | |
| | Name | | technolog@tenzi | .pl |
| 1.4. | Emergency telepho | one number | - | |
| | European emergency | number: 112 | | |

The mixture is classified as dangerous.

Skin Corr. 1B, H314 Eye Dam. 1, H318

Full text of all classifications and hazard statements is given in the section 16.

Most serious adverse effects on human health and the environment

Causes serious eye damage. Causes severe skin burns and eye damage.

2.2. Label elements

Hazard pictogram



Signal word Danger

Hazardous substances

sodium hydroxide **Hazard statements** H314 Causes severe skin burns and eye damage. **Precautionary statements** Wear protective gloves/protective clothing/eye protection/face protection. P280 P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAXCreation date10th August 2000Revision date12th May 2021VersionP305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.P310Immediately call a POISON CENTER/doctor.P405Store locked up.

Supplemental information

5-<15 % non-ionic surfactants, <5 % phosphonates, <5 % amphoteric surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

| Identification numbers | Substance name | Content in % weight | Classification according to Regulation (EC) No 1272/2008 | Note |
|---|--|------------------------|--|------|
| CAS: 68439-54-3 Registration number: polimer | Alcohols, C11-13-branched, ethoxylated | <6 | Acute Tox. 4, H302 Eye Dam. 1, H318 | |
| CAS: 6419-19-8 EC: 229-146-5 Registration number: 01-2119487988-08- xxxx | Aminotrimethylene phosphonic acid | <5 | Met. Corr. 1, H290 Eye Irrit. 2, H319 | |
| Index: 011-002-00-6 CAS: 1310-73-2 EC: 215-185-5 Registration number: 01-2119457892-27- XXXX | sodium hydroxide | <4,5 | Met. Corr. 1, H290 Skin Corr. 1A, H314 Specific concentration limit: Skin Corr. 1B, H314: $2 \% \le C < 5 \%$ Skin Corr. 1A, H314: $C \ge 5 \%$ Eye Irrit. 2, H319: $0,5 \% \le C < 2 \%$ Skin Irrit. 2, H315: $0,5 \% \le C < 2 \%$ | |
| EC: 931-513-6 Registration number: 01-2119513359-38- XXXX | 1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-(C12-18 (even numbered) acyl) derivs., hydroxides, inner salts | <3 | Eye Dam. 1, H318 Aquatic Chronic 3, H412 Specific concentration limit: Eye Dam. 1, H318: C > 10 % Eye Irrit. 2, H319: 4 % < C \leq 10 % | |

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Take care of your own safety, do not let the affected person walk! Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.



according to Regulation (EC) No 1907/2006 (REACH) as amended

| CAR MAX | | | | | |
|------------------|------------------|------------------|------------------|--|--|
| 10th August 2000 | | | | | |
| 12th May 2021 | Version | 2.0 | | | |
| | 10th August 2000 | 10th August 2000 | 10th August 2000 | | |

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water/shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING - even the inducted vomiting can cause complications as in case of detergents and other foaming substances. Danger of esophageal and gastric perforation! RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. DO NOT PROVIDE ACTIVATED CARBON! Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Use a self-contained breathing apparatus and full-body protective clothing. Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | | |
|----------------------------------|------------------|---------|-----|--|--|
| Revision date | 12th May 2021 | Version | 2.0 | | |
| 6.4. Reference to other sections | | | | | |

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition.

Storage temperature

min 5 °C, max 35 °C

7.3. Specific end use(s)

not available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

The mixture contains substances for which occupational exposure limits are set. DNEL

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Workers / consumers | Route of exposure | Value | Effect | Determining method |
|-----------------------|-------------------|--------------------------|-----------------------|--------------------|
| Workers | Dermal | 12.5 mg/kg bw/day | | |
| Workers | Inhalation | 44 mg/m ³ /8h | | |
| Consumers | Dermal | 7.5 mg/kg bw/day | | |
| Consumers | Oral | 7.5 mg/kg bw/day | | |
| Aminotrimethylene pho | osphonic acid | - | • | |
| Workers / consumers | Route of exposure | Value | Effect | Determining method |
| Workers | Inhalation | 19.4 mg/m ³ | Local chronic effects | |
| Workers | Inhalation | 19.4 mg/m ³ | | |
| Workers | Dermal | 4.8 mg/kg bw/day | Local chronic effects | |
| Workers | Dermal | 4.8 mg/kg bw/day | | |
| sodium hydroxide | | | | |
| Workers / consumers | Route of exposure | Value | Effect | Determining method |
| Workers | Inhalation | 1.0 mg/m ³ | Local chronic effects | |
| Consumers | Inhalation | 1.0 mg/m ³ | Local chronic effects | |
| | | | | |

PNEC

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Route of exposure | Value | Determining method |
|-------------------|--------------|--------------------|
| Drinking water | 0.0135 mg/l | |
| Seawater | 0.00135 mg/l | |
| Sea sediments | 1 mg/kg | |



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | |
|------------------------------|---------------------------------|----------------------------|-------------------------|-------------------|
| Revision date | 12th May 2021 | Version | 2.0 | |
| 1-Propanamini inner salts | um, 3-amino-N-(carboxymethyl)-N | l,N-dimethyl-, N-(C12-18(e | ven numbered) acyl) der | ivs., hydroxides, |
| | | | | |

| Route of exposure | Value | Determining method |
|---|----------------------------|--------------------|
| Soil (agricultural) | 0.805 mg/kg | |
| Aminotrimethylene phosphonic a | cid | |
| Route of exposure | Value | Determining method |
| Drinking water | 0.46 mg/l | |
| Seawater | 0.046 mg/l | |
| Freshwater sediment | 150 mg/kg of dry substance | |
| Sea sediments | 15 mg/kg of dry substance | |
| Soil (agricultural) | 244 mg/kg of dry substance | |
| Microorganisms in wastewater treatment plants | 20 mg/l | |

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Use a mask with filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical physical and chemical physical and chemical physical ph

| Information on basic physical and chemical prope | rties |
|--|---------------------------------------|
| Physical state | liquid |
| Color | straw |
| Odour | Characteristic for the materials used |
| Melting point/freezing point | data not available |
| Boiling point or initial boiling point and boiling range | data not available |
| Flammability | data not available |
| Lower and upper explosion limit | data not available |
| Flash point | data not available |
| Auto-ignition temperature | data not available |
| Decomposition temperature | data not available |
| рН | 14 (undiluted at 20 °C) |
| Kinematic viscosity | data not available |
| Solubility in water | soluble |
| Partition coefficient n-octanol/water (log value) | data not available |
| Vapour pressure | data not available |
| Density and/or relative density | |
| Density | data not available |
| Relative density | 1,070 g/cm3 (+-) 0,020 |
| Form | liquid |
| Other information | |

9.2.



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | |
|---------------|------------------|---------|-----|--|
| Revision date | 12th May 2021 | Version | 2.0 | |
| not available | | | | |

| 10.1. | Reactivity |
|-------|---|
| | not available |
| 10.2. | Chemical stability |
| | The product is stable under normal conditions. |
| 10.3. | Possibility of hazardous reactions |
| | Unknown. |
| 10.4. | Conditions to avoid |
| | The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost. |
| 10.5. | Incompatible materials |
| | Protect against strong acids, bases and oxidizing agents. |
| 10.6. | Hazardous decomposition products |
| | Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed a high temperature and in fire. |

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

Based on available data the classification criteria are not met.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|------------|------------------|----------------------------|-----|-----------------------|------------------------------|
| Skin | LD50 | >620 mg/kg | | Rat (Rattus norvegicus) | F/M | Based on evidence | karta charakter ystyki |
| Oral | LD50 | 2430 mg/kg | | Rat (Rattus norvegicus) | F/M | Based on evidence | karta charakter ystyki |

Alcohols, C11-13-branched, ethoxylated

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|--------------------|------------------|----------------------------|-----|-----------------------|------------------------------|
| Oral | LD50 | >300-2000 mg/kg | | Rat (Rattus norvegicus) | | Based on evidence | karta charakter ystyki |
| Dermal | LD50 | >2000 mg/kg | | Rat (Rattus norvegicus) | | Based on evidence | karta charakter ystyki |

Aminotrimethylene phosphonic acid

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|------------|------------------|----------------------------|-----|-----------------------|------------------------------|
| Oral | LD50 | 2910 mg/kg | | Rat (Rattus norvegicus) | | | karta charakter ystyki |
| Dermal | LD50 | 6310 mg/kg | | Rabbit | | | karta charakter ystyki |



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | |
|---------------|------------------|---------|-----|--|
| Revision date | 12th May 2021 | Version | 2.0 | |
| | | | | |

sodium hydroxide

| Route of exposure | Parameter | Value | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|-----------|---------------------|-------------------------|-----|-----------------------|--------|
| Intraperitoneally | LD 50 | 40 mg/kg | | Mouse | | | SDS |
| Oral | LDL0 | 500 mg/kg | | Rabbit | | | SDS |
| Oral | TDLo | 44 mg/kg | | Rat (Rattus norvegicus) | | | SDS |

Skin corrosion/irritation

Causes severe skin burns

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|----------------|------------------|---------|--------------------|------------------------------|
| | Not irritating | | | Based on evidence | karta charakterys tyki |

Alcohols, C11-13-branched, ethoxylated

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|----------------|------------------|---------|--------------------|------------------------------|
| | Not irritating | | Rabbit | Based on evidence | katra charakterys tyki |

Aminotrimethylene phosphonic acid

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|---------------------|------------------|---------|--------------------|------------------------------|
| | Slightly irritating | | | | karta charakterys tyki |

Serious eye damage/irritation

Causes serious eye damage.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|-----------------------|------------------|---------|--------------------|------------------------------|
| | Serious eye damage | | | | karta charakterys tyki |

Alcohols, C11-13-branched, ethoxylated

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|-----------------------------------|------------------|---------|--------------------|------------------------------|
| | Irritating, Serious eye damage | | Rabbit | | karta charakterys tyki |

Aminotrimethylene phosphonic acid

| Route of exposure | Result | Time of exposure | Species | Determining method | Source |
|-------------------|------------|------------------|---------|--------------------|------------------------------|
| | Irritating | | | | karta charakterys tyki |



according to Regulation (EC) No 1907/2006 (REACH) as amended

| CAR MAX | | | | | |
|---------------|------------------|---------|-----|--|--|
| Creation date | 10th August 2000 | | | | |
| Revision date | 12th May 2021 | Version | 2.0 | | |

Sensitization

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Route of exposure | Result | Method | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|----------|------------------|---|-----|-----------------------|------------------------------|
| Skin | No effect | OECD 406 | | Guinea-pig (Cavia aperea f. porcellus) | | Based on evidence | karta charakter ystyki |

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Alcohols, C11-13-branched, ethoxylated

| Route of exposure | Result | Time of exposure | Species | Sex | Determining method | Source |
|-------------------|-----------|------------------|--|-----|-----------------------|------------------------------|
| | No effect | | Guinea-pig (Cavia aperea f. porcellus) | | Based on evidence | karta charaktery styki |

Mutagenicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Result | Method | Time of exposure | Specific target organ | Species | Sex | Determinin g method | Source |
|----------|----------|------------------|--------------------------|---------|-----|------------------------|------------------------------|
| Negative | OECD 471 | | | | | Based on evidence | karta charakt erystyki |
| Negative | OECD 476 | | | | | Based on evidence | karta charakt erystyki |
| Negative | OECD 474 | | | | | Based on evidence | karta charakt erystyki |

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Alcohols, C11-13-branched, ethoxylated

| Result | Time of exposure | Specific target organ | Species | Sex | Determining method | Source |
|-----------|------------------|-----------------------|---------|-----|-----------------------|------------------------------|
| No effect | | | | | Based on evidence | karta charakter ystyki |

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | |
|---------------|------------------|---------|-----|--|
| Revision date | 12th May 2021 | Version | 2.0 | |

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Parameter | Method | Value | Time of exposure | Species Environr ent | | Determining method | Source |
|-----------|----------|-----------|---------------------|------------------------------------|--|-----------------------|------------------------------|
| EC₅o | OECD 202 | 1.9 mg/l | 48 hour | Daphnia (Daphnia magna) | | Based on evidence | karta charakte rystyki |
| ErC₅o | | 2.4 mg/kg | 72 hour | Algae and other aquatic plants | | Indicator of growth | karta charakte rystyki |
| ErC₅o | | 7 mg/l | 72 hour | Daphnia (Daphnia magna) | | Indicator of growth | karta charakte rystyki |
| LC50 | OECD 203 | 1.11 mg/l | 96 hour | Fishes (Oncorhynchus mykiss) | | | karta charakte rystyki |

Alcohols, C11-13-branched, ethoxylated

| Parameter | Method | Value | Time of exposure | Species | Environm ent | Determining method | Source |
|-----------|----------|-------------|---------------------|---------------------------------------|-----------------|-----------------------|------------------------------|
| LC50 | OECD 203 | >1-10 mg/kg | 96 hour | Fishes (Oncorhynchus mykiss) | | Based on evidence | karta charakte rystyki |
| EC₅o | OECD 202 | >1-10 mg/l | 48 hour | Daphnia (Daphnia magna) | | Based on evidence | karta charakte rystyki |
| EC₅o | OECD 201 | >1-10 mg/l | 72 hour | Algae (Desmodesmus subspicatus) | | Based on evidence | karta charakte rystyki |

Aminotrimethylene phosphonic acid

| Parameter | Method | Value | Time of exposure | Species | Environm ent | Determining method | Source |
|-----------|----------|-----------|------------------|-------------------------------|-----------------|-----------------------|------------------------------|
| EC₅o | | 297 mg/l | 48 hour | Daphnia (Daphnia magna) | | | karta charakte rystyki |
| NOEC | | ≥25 mg/l | 28 day | Daphnia (Daphnia magna) | | | karta charakte rystyki |
| LC50 | OECD 203 | 8132 mg/l | 96 hour | Fishes | | | karta charakte rystyki |



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

Creation date Revision date 10th August 2000

12th May 2021

Version

2.0

Aminotrimethylene phosphonic acid

| Parameter | Method | Value | Time of exposure | Species | Environm ent | Determining method | Source |
|-----------|----------|-----------|------------------|------------------------|-----------------|-----------------------|------------------------------|
| LC50 | OECD 203 | 1212 mg/l | 96 hour | Fishes | | | karta charakte rystyki |
| LC50 | | 160 mg/l | 96 hour | Oncorhynchus mykiss | | | karta charakte rystyki |
| LC50 | | 23 mg/l | 60 day | Oncorhynchus mykiss | | | karta charakte rystyki |
| EC₅o | | 94 mg/l | 48 hour | | | | karta charakte rystyki |
| NOEC | | 95 mg/l | 96 hour | | | | karta charakte rystyki |

sodium hydroxide

| Parameter | Method | Value | Time of exposure | Species | Environm ent | Determining method | Source |
|-----------|--------|-----------|---------------------|---|-----------------|-----------------------|--------|
| EC50 | | 40.4 mg/l | 48 hour | Aquatic invertebrates (Ceriodaphnia dubia) | | R | SDS |
| EC50 | | 22 mg/l | 15 min | Microorganisms (Photobacteriu m phosphoreum) | | | SDS |

Chronic toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Parameter | Method | Value | Time of exposure | Species | Environm ent | Determining method | Source |
|-----------|----------|------------|---------------------|---|-----------------|-----------------------|------------------------------|
| EC₅o | | 3000 mg/l | 16 hour | Bacteria (Salmonella typhimurium) | | Based on evidence | karta charakte rystyki |
| NOEC | OECD 211 | 0.3 mg/l | 21 day | Daphnia (Daphnia magna) | | Based on evidence | karta charakte rystyki |
| NOEC | OECD 210 | 0.135 mg/l | 100 day | Fishes (Oncorhynchus mykiss) | | Based on evidence | karta charakte rystyki |
| NOECr | | 0.6 mg/l | 72 hour | Algae and other aquatic plants | | Based on evidence | karta charakte rystyki |

12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006 (REACH) as amended

| | C | AR MAX | | |
|---------------|------------------|---------|-----|--|
| Creation date | 10th August 2000 | | | |
| Revision date | 12th May 2021 | Version | 2.0 | |

Biodegradability

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C12-18(even numbered) acyl) derivs., hydroxides, inner salts

| Parameter | Method | Value | Time of exposure | Environmen t | Determining method | Result | Source |
|-----------|----------|---------|------------------|-----------------|-----------------------|-------------------------|------------------------------|
| | | 95 % | 28 day | | Based on evidence | Easily biodegradable | karta charakte rystyki |
| | | 80-90 % | 60 day | | Based on evidence | Easily biodegradable | karta charakte rystyki |
| | OECD 306 | 75 % | 28 day | | Based on evidence | Easily biodegradable | karta charakte rystyki |

Alcohols, C11-13-branched, ethoxylated

| Parameter | Method | Value | Time of exposure | Environmen t | Determining method | Result | Source |
|-----------|-----------|-------|------------------|-----------------|-----------------------|-------------------------|------------------------------|
| | OECD 301A | >70 % | 28 day | | Based on evidence | Easily biodegradable | karta charakte rystyki |
| | OECD 301B | >60 % | 28 day | | Based on evidence | Easily biodegradable | karta charakte rystyki |

Aminotrimethylene phosphonic acid

| Parameter | Method | Value | Time of exposure | Environmen t | Determining method | Result | Source |
|-----------|-----------|----------|------------------|-----------------|-----------------------|-------------------------|------------------------------|
| | OECD 301D | 22-23 % | 28 day | | | Hardly biodegradable | karta charakte rystyki |
| EC₀ | | 200 mg/l | 30 min | | | | karta charakte rystyki |

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



| | | C | CAR MAX | |
|--|---|---|---|---|
| Creat | on date | 10th August 2000 | | |
| Revisi | on date | 12th May 2021 | Version | 2.0 |
| 3.1. | | | | |
| | regulations. Proceec packaging should be for waste removal (a systems. The produ | I in accordance with valid re put in labelled containers for specialized company) that i uct must not be disposed of uce energy or deposited in | gulations on waste dispos or waste collection and sub s entitled for such activity. of with municipal waste. | cordance with the local and/or nation cal. Any unused product and contaminate omitted for disposal to a person authorise . Do not empty unused product in drainag Empty containers may be used at was classification. Perfectly cleaned containe |
| | Waste manageme | nt legislation | | |
| | Directive 2008/98/E | C of the European Parliamen | t and of the Council of 19 I | November 2008 on waste, as amended. |
| | Waste type code | | | |
| | 07 06 04 other | organic solvents, washing lic | quids and mother liquors st | |
| | Packaging waste t | | | |
| | | c packaging | | |
| | (*) - Hazardous was | ste according to Directive 200 | 8/98/EC on hazardous wa | ste |
| | UN number or ID I UN 1719 | | | |
| 14.2. | | | | |
| | CAUSTIC ALKALI LIC | QUID, N.O.S. (sodium hydrox | ide) | |
| | CAUSTIC ALKALI LIC | QUID, N.O.S. (sodium hydrox class(es) | ide) | |
| 14.3. | CAUSTIC ALKALI LIC Transport hazard o 8 Corrosive subst | QUID, N.O.S. (sodium hydrox class(es) | ide) | |
| 14.3. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group | QUID, N.O.S. (sodium hydrox class(es) ances | ride) | |
| 14.3. 14.4. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group III - substances pres | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger | tide) | |
| 14.3. 14.4. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group III - substances pres | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger | ide) | |
| 14.3. 14.4. 14.5. | CAUSTIC ALKALI LIC Transport hazard of 8 Corrosive subst Packing group III - substances pres Environmental haz No | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards | iide) | |
| 14.3. 14.4. 14.5. | CAUSTIC ALKALI LIC Transport hazard of 8 Corrosive subst Packing group III - substances pres Environmental haz No Special precaution Reference in the Sec | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards is for user ctions 4 to 8. | | |
| 14.3. 14.4. 14.5. 14.6. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group III - substances pres Environmental haz No Special precaution Reference in the Sec Maritime transport not available | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards ts for user ctions 4 to 8. t in bulk according to IMO | | |
| 14.3. 14.4. 14.5. 14.6. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group III - substances pres Environmental haz No Special precaution Reference in the Sec Maritime transport not available Additional information | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards as for user ctions 4 to 8. t in bulk according to IMO ation | | |
| 14.2. 14.3. 14.4. 14.5. 14.6. 14.7. | CAUSTIC ALKALI LIC Transport hazard of 8 Corrosive subst Packing group III - substances prese Environmental haz No Special precaution Reference in the Sec Maritime transport not available Additional information | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards as for user ctions 4 to 8. t in bulk according to IMO ation | instruments | |
| 14.3. 14.4. 14.5. 14.6. | CAUSTIC ALKALI LIC Transport hazard 8 Corrosive subst Packing group III - substances pres Environmental haz No Special precaution Reference in the Sec Maritime transport not available Additional informat Hazard identific UN number | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards as for user ctions 4 to 8. t in bulk according to IMO ation | instruments | |
| 14.3. 14.4. 14.5. 14.6. | CAUSTIC ALKALI LIC Transport hazard of 8 Corrosive subst Packing group III - substances prese Environmental haz No Special precaution Reference in the Sec Maritime transport not available Additional information | QUID, N.O.S. (sodium hydrox class(es) ances senting low danger zards as for user ctions 4 to 8. t in bulk according to IMO ation | instruments | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| Creation date | 10th August 2000 | | | |
|---------------|------------------|---------|-----|--|
| Revision date | 12th May 2021 | Version | 2.0 | |
| | - | | | |

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture. Sodium hydroxide: the manufacturer has performed a chemical safety assessment Aminotrimethylene phosphonic acid: the manufacturer has not performed a chemical safety assessment Alcohols, C11-13-branched, ethoxylated: the manufacturer has performed a chemical safety assessment Propanaminium, 3-amino-N-(carboxymethyl)-N, N-dimethyl-, N-(C12-18) acyl derivatives, hydroxides, inner salts, water solution: A Chemical Safety Assessment has been carried out

SECTION 16: Other information

| A list of standard ri | sk phrases used in the safety data sheet |
|-----------------------|--|
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Guidelines for safe | handling used in the safety data sheet |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with |
| | water or shower. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P405 | Store locked up. |
| Other important inf | ormation about human health protection |
| The product must not | t be - unless specifically approved by the manufacturer/importer - used for purposes other than The user is responsible for adherence to all related health protection regulations. |
| Key to abbreviation | is and acronyms used in the safety data sheet |
| ADR | European agreement concerning the international carriage of dangerous goods by road |
| BCF | Bioconcentration Factor |
| CAS | Chemical Abstracts Service |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and |
| | mixtures |
| DNEL | Derived no-effect level |
| EC | Identification code for each substance listed in EINECS |
| EC50 | Concentration of a substance when it is affected 50% of the population |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EmS | Emergency plan |
| EU | European Union |
| EuPCS | European Product Categorisation System |
| ΙΑΤΑ | International Air Transport Association |
| IBC | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals |
| IC50 | Concentration causing 50% blockade |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| INCI | International Nomenclature of Cosmetic Ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| LC50 | Lethal concentration of a substance in which it can be expected death of 50% of the population |
| LD50 | Lethal dose of a substance in which it can be expected death of 50% of the population |
| LOAEC | Lowest observed adverse effect concentration |
| LOAEL | Lowest observed adverse effect level |
| log Kow | Octanol-water partition coefficient |
| - | · · · · · · · · · · · · · · · · · · · |



according to Regulation (EC) No 1907/2006 (REACH) as amended

CAR MAX

| | C | AR MAX | |
|--------------------------------------|--|-------------------------------|--|
| Creation date | 10th August 2000 | | |
| Revision date | 12th May 2021 | Version | 2.0 |
| MARPOL | International Convention fo | r the Prevention of Pollution | on From Ships |
| NOAEC | No observed adverse effect | concentration | |
| NOAEL | No observed adverse effect | level | |
| NOEC | No observed effect concent | ration | |
| NOEL | No observed effect level | | |
| OEL | Occupational Exposure Limi | ts | |
| PBT | Persistent, Bioaccumulative | and Toxic | |
| PNEC | Predicted no-effect concent | ration | |
| ppm | Parts per million | | |
| REACH | Registration, Evaluation, Au | thorisation and Restrictior | n of Chemicals |
| RID | Agreement on the transport | t of dangerous goods by ra | ail |
| UN | Four-figure identification nu Regulations | imber of the substance or | article taken from the UN Model |
| UVCB | Substances of unknown or v materials | variable composition, comp | plex reaction products or biological |
| VOC | Volatile organic compounds | | |
| vPvB | Very Persistent and very Big | oaccumulative | |
| Acute Tox. | Acute toxicity | | |
| Aquatic Chronic | Hazardous to the aquatic er | nvironment (chronic) | |
| Eye Dam. | Serious eye damage | | |
| Eye Irrit. | Eye irritation | | |
| Met. Corr. | Corrosive to metals | | |
| Skin Corr. | Skin corrosion | | |
| Skin Irrit. | Skin irritation | | |
| Training guidel | ines | | |
| Inform the perso ways of handling | | ays of use, mandatory pro | tective equipment, first aid and prohibite |
| Recommended | restrictions of use | | |
| not available | | | |
| | out data sources used to com | • • | eet OF THE COUNCIL (REACH) as amended |
| REGULATION (EC | | PEAN PARLIAMENT AND (| OF THE COUNCIL as amended. Data fror |
| | which information has been ac | | - |
| General update | | | ·•• / |
| More information | on | | |
| Classification pro | cedure - calculation method. | | |

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.