

		ation (EC) No 1907/2006 (REACH) as amended	
		GRAN SMOG	
reat	ion date 10th August 2000		
	on date 27th April 2021	Version 2.0	
	-	/mixture and of the company/undertaking	
.1.	Product identifier	GRAN SMOG	
	Substance / mixture	mixture	
.2.		ance or mixture and uses advised against	
	Mixture's intended use		
	Product designed for washing smoking ch	hambers, grills etc.	
	Mixture uses advised against		
	not available		
.3.	Details of the supplier of the safety o	data sheet	
	Manufacturer		
	Name or trade name	TENZI Sp. z o.o.	
	Address	Skarbimierzyce 20, Dołuje, 72-002	
		Poland	
	VAT Reg No	PL8512583405	
	Phone	+48 91 3119777	
	E-mail	info@tenzi.pl	
	Web address	www.tenzi.pl	
	Competent person responsible for th	ie safety data sheet	
	Name	technolog@tenzi.pl	
.4.			
	Emergency telephone number		
	Emergency telephone number European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix	R	
	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318	xture rdance with Regulation (EC) No 1272/2008	
	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314	xture rdance with Regulation (EC) No 1272/2008	
	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard s	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard a Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accor The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard at Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements Hazard pictogram	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
.1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accord The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements Hazard pictogram Signal word Danger	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accord The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements Hazard pictogram Signal word Danger Hazardous substances	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	
ECT. .1.	European emergency number: 112 ION 2: Hazards identification Classification of the substance or mix Classification of the mixture in accord The mixture is classified as dangerous. Acute Tox. 4, H302 Skin Corr. 1A, H314 Eye Dam. 1, H318 Full text of all classifications and hazard and Most serious adverse effects on hum Causes severe skin burns and eye damage Label elements Hazard pictogram Signal word Danger	xture rdance with Regulation (EC) No 1272/2008 statements is given in the section 16.	

Hazard statements	S
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
Precautionary stat	tements
P280	Wear rękawice ochronne/odzież ochronną/ochronę oczu/ochronę twarzy.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



according to Regulation (EC) No 1907/2006 (REACH) as amended

	GR	AN SMOG		
Creation date	10th August 2000			
Revision date	27th April 2021	Version	2.0	
P303+P361+P353	IF ON SKIN (or hair): Take water or shower.	off immediately all contam	nated clothing. Rinse skin wil	th
P305+P351+P338	IF IN EYES: Rinse cautiousl present and easy to do. Co	,	nutes. Remove contact lenses	5, if
P310	Immediately call a OSROD	KIEM ZATRUĆ/lekarzem.		
P405	Store locked up.			

Supplemental information

<5 % non-ionic surfactants

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 019-002-00-8 CAS: 1310-58-3 EC: 215-181-3 Registration number: 01-2119487136-33- XXXX	potassium hydroxide	<17	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1A, H314 Specific concentration limit: Skin Irrit. 2, H315: 0,5 % \leq C $<$ 2 % Skin Corr. 1A, H314: C \geq 5 % Skin Corr. 1B, H314: 2 % \leq C $<$ 5 % Eye Irrit. 2, H319: 0,5 % \leq C $<$ 2 %	
Index: 603-096-00-8 CAS: 112-34-5 EC: 203-961-6 Registration number: 01-2119475104-44- XXXX	2-(2-butoxyethoxy)ethanol	<5	Eye Irrit. 2, H319	1, 2
CAS: 68515-73-1 EC: 500-220-1 Registration number: 01-2119488530-36	D-glucopyranose, C8-10 alkyl glycosides oligomers	<4	Eye Dam. 1, H318	

Notes

- 1 Substance with a Union workplace exposure limit.
- 2 The use of the substance is restricted by Annex XVII of REACH Regulation

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG Creation date 10th August 2000 Revision date 27th April 2021 Version 2.0

If on skin

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

If swallowed

DO NOT INDUCE VOMITING! Even the inducted vomiting can cause complications as in case of detergents and other foaming substances.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Inhaling vapours can cause corrosion of the breathing system.

If on skin

Causes severe skin burns.

If in eyes

Causes serious eye damage.

If swallowed

Corrosion of the digestion system can occur.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale aerosols. Prevent contact with skin and eyes.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

6.4. Reference to other sections

See the Section 7, 8 and 13.



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date	10th August 2000			
Revision date	27th April 2021	Version	2.0	

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale aerosols. Prevent contact with skin and eyes. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original plastic container (high density polyethylene HDPE). Store this product in a dry environment that will be maintained at 5° C - 35° C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor. DO NOT expose the product to sunlight and keep away from heat, frost, sparks, flame and source of ignition. Store locked up.

Storage temperature7.3. Specific end use(s) not available

e(s)

+5 ÷ 35° °C

Commission Directive 2006/15/50

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

European Onion	Commission	Directive 2006/15/EC
Substance name (component)	Туре	Value
	OEL 8 hours	67,5 mg/m ³
2 (2 hutowysthowy)sthonal (CAS) 112 24 E)	OEL 8 hours	10 ppm
2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)	OEL 15 minutes	101,2 mg/m ³
	OEL 15 minutes	15 ppm

DNEL

2-(2-butoxyethoxy)ethanol

· · · · · · · · · · · · · · · · · · ·				
Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	20 mg/kg	Systemic chronic effects	
Workers	Inhalation	67.5 mg/l	Systemic chronic effects	
Workers	Inhalation	67.5 mg/l	Local chronic effects	
Consumers	Inhalation	50.6 mg/l	Local acute effects	
Consumers	Dermal	10 mg/kg	Systemic chronic effects	
Consumers	Inhalation	3 mg/l	Systemic chronic effects	
Consumers	Oral	1.25 mg/kg	Systemic chronic effects	
Consumers	Inhalation	34 mg/l	Local chronic effects	
D-glucopyranose, C8-1	10 alkyl glycosides	oligomers	• •	•
Workers / consumers	Route of exposure	Value	Effect	Determining method
Workers	Dermal	595000 mg/kg	Systemic chronic effects	

Consumers	Inhalation	124 mg/m ³	Systemic chronic effects	
Consumers	Oral	35.7 mg/kg	Systemic chronic effects	
Consumers	Dermal	357000 mg/kg	Systemic chronic effects	
Workers	Inhalation	420 mg/m ³	Systemic chronic effects	
Workers	Dermal	595000 mg/kg	Systemic chronic effects	

PNEC

2-(2-butoxyethoxy)ethanol

Route of exposure	Value	Determining method
Drinking water	1 mg/l	
Seawater	0.1 mg/l	
Freshwater sediment	4 mg/kg	



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG Creation date 10th August 2000 27th April 2021 2.0 Revision date Version 2-(2-butoxyethoxy)ethanol Value Route of exposure Determining method Sea sediments 0.4 mg/kg Soil (agricultural) 0.4 mg/kg 200 mg/l Microorganisms in wastewater treatment plants Oral 56 mg/kg D-glucopyranose, C8-10 alkyl glycosides oligomers Route of exposure Value Determining method Drinking water 0.176 mg/l Seawater 0.0176 mg/l Water (intermittent release) 0.27 mg/l Microorganisms in wastewater 560 mg/l treatment plants Freshwater sediment 1.516 mg/kg Sea sediments 0.152 mg/kg Soil (agricultural) 0.654 mg/kg Oral 111.11 mg/kg

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

Thermal hazard

Data not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	liquid
Color	brown
Odour	Characteristic for the materials used
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available
Auto-ignition temperature	data not available
Decomposition temperature	data not available
рН	14 (undiluted)
Kinematic viscosity	data not available
Solubility in water	soluble
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

		GR	AN SMOG	
Creatio	on date	10th August 2000		
Revisio	on date	27th April 2021	Version	2.0
	Density and/or relat	ive density		
	Density		1,130 g/cm ³	
	Relative vapour den	sity	data not available	2
	Particle characterist	ics	data not available	2
	Form		liquid	
9.2.	Other information			
	not available			
SECTI 10.1. 10.2.	not available			
10.1. 10.2. 10.3.	Reactivity not available Chemical stability The product is stabl Possibility of haza Unknown.	e under normal conditions. Irdous reactions		
10.1. 10.2. 10.3.	Reactivity not available Chemical stability The product is stabl Possibility of haza Unknown. Conditions to avoi	e under normal conditions. Irdous reactions	under normal use. Protect	against flames, sparks, overheating a
10.1. 10.2. 10.3. 10.4.	Reactivity not available Chemical stability The product is stable Possibility of haza Unknown. Conditions to avoid The product is stable	e under normal conditions. Irdous reactions Id le and no degradation occurs	under normal use. Protect	against flames, sparks, overheating a
10.1.	Reactivity not available Chemical stability The product is stability Possibility of haza Unknown. Conditions to avoi The product is stabi against frost. Incompatible mat	e under normal conditions. Irdous reactions Id le and no degradation occurs		against flames, sparks, overheating a
10.1. 10.2. 10.3. 10.4.	Reactivity not available Chemical stability The product is stabl Possibility of haza Unknown. Conditions to avoi The product is stabl against frost. Incompatible mat Protect against strout	e under normal conditions. Indous reactions Id le and no degradation occurs erials ng acids, bases and oxidizing		against flames, sparks, overheating a

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

Acute toxicity

ATE mix = 1606 mg/kg - oral. Harmful if swallowed.

2-(2-butoxyethoxy)ethanol

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Source
Oral	LD 50		2410 mg/kg		Mouse		SDS
Dermal	LD50		2764 mg/kg		Rabbit		SDS

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Source
Oral	LD 50	OECD 401	>5000 mg/kg		Rat		SDS
Dermal	LD50	OECD 402	>5000 mg/kg				SDS

potassium hydroxide

Route of exposure	Parameter	Method	Value	Time of exposure	Species	Sex	Source
Oral	LD 50		273 mg/kg		Rat		



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date Revision date 10th August 2000 27th April 2021

Version

2.0

Skin corrosion/irritation

Causes severe skin burns

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Slightly irritating			SDS

Serious eye damage/irritation

Causes serious eye damage.

D-glucopyranose, C8-10 alkyl glycosides oligomers

Route of exposure	Result	Time of exposure	Species	Source
	Serious eye damage			SDS

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

Based on available data the classification criteria are not met.

11.2. Information on other hazards

not available

SECTION 12: Ecological information

12.1. Toxicity

Acute toxicity

Data for the mixture are not available.

2-(2-butox	vethoxv`)ethanol
- \		,,	,

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50		1300 mg/l		Fishes (Lepomis macrochirus)		SDS
EC50		>100 mg/l		Aquatic invertebrates (Daphnia magna)		SDS
EC50	OECD 201	>100 mg/l		Algae (Scenedesmus subspicatus)		SDS



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date	10th August 2000			
Revision date	27th April 2021	Version	2.0	
2-(2-butoxyel	hoxy)ethanol			

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
EC 10	OECD 209	>1995 mg/l				SDS

D-glucopyranose, C8-10 alkyl glycosides oligomers

Parameter	Method	Value	Time of exposure	Species	Environme nt	Source
LC50	OECD 203	>100 mg/l	96 hour	Fishes (Branchydanio rerio)		SDS
EC50		>100 mg/l	48 hour	Aquatic invertebrates (Daphnia magna)		SDS
EC₅o	OECD 201	>10<100 mg/l	72 hour	Algae (Desmodesmus subspicatus)		SDS
EC10		>100 mg/l	6 hour	Microorganisms (Pseudomonas putida)		SDS
NOEC	OECD 204	>1 mg/l	28 day	Fishes (Branchydanio rerio)		SDS
NOEC	OECD 202	>1 mg/l	21 day	Daphnia (Daphnia magna)		SDS

12.2. Persistence and degradability

Biodegradability

D-glucopyranose, C8-10 alkyl glycosides oligomers

Parameter	Value	Time of exposure	Environment	Result	Source
				Biodegradable	karta charakteryst
				Biodegradable	-

Surfactants are biodegradable according to the European Parliament and Council Regulation (EC) No. 648/2004 on detergents, as amended.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

not available

12.7. Other adverse effects

Data not available.

SECTION 13: Disposal considerations



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

	014			
Creation date	10th August 2000			
Revision date	27th April 2021	Version	2.0	
40.4	and the second			

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

07 06 04 other organic solvents, washing liquids and mother liquors *

Packaging waste type code

plastic packaging 15 01 02

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number UN 1719 14.2. UN proper shipping name CAUSTIC ALKALI LIQUID, N.O.S. (potassium hydroxide) 14.3. Transport hazard class(es) Corrosive substances 8 14.4. Packing group II - substances presenting medium danger 14.5. Environmental hazards No 14.6. Special precautions for user not available 14.7. Maritime transport in bulk according to IMO instruments not available **Additional information** Hazard identification No. UN number 1719 Safety signs 8

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended. REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents, as ammended.



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG

Creation date Revision date 10th August 2000 27th April 2021

Version

2.0

Restrictions pursuant to Annex XVII of Regulation (EC) No. 1907/2006 (REACH), as amended

2-(2-butoxyethoxy)ethanol

Restriction	Conditions of restriction
55	1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
	2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
	3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows:
	"Do not use in paint spraying equipment".

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture. potassium hydroxide: A Chemical Safety Assessment has been carried out. 2-(2-butoxyethoxy)ethanol: A Chemical Safety Assessment has been carried out D -glucopyranose, C8-10 alkyl glycosides oligomers: the manufacturer has performed a chemical safety assessment

SECTION 16: Other information

A list of standard ri	sk phrases used in the safety data sheet	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
Guidelines for safe handling used in the safety data sheet		
P280	Wear rękawice ochronne/odzież ochronną/ochronę oczu/ochronę twarzy.	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a OŚRODKIEM ZATRUĆ/lekarzem.	
P405	Store locked up.	
Other important information about human health protection		
The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than		
as per the Section 1.	The user is responsible for adherence to all related health protection regulations.	
Key to abbreviations and acronyms used in the safety data sheet		
ADR	European agreement concerning the international carriage of dangerous goods by road	
BCF	Bioconcentration Factor	
CAS	Chemical Abstracts Service	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures	
DNEL	Derived no-effect level	
EC	Identification code for each substance listed in EINECS	
EC50	Concentration of a substance when it is affected 50% of the population	
EINECS	European Inventory of Existing Commercial Chemical Substances	
EmS	Emergency plan	
EU	European Union	
EuPCS	European Product Categorisation System	
IATA	International Air Transport Association	



according to Regulation (EC) No 1907/2006 (REACH) as amended

GRAN SMOG Creation date 10th August 2000 Revision date 27th April 2021 Version 2.0 IBC International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals IC50 Concentration causing 50% blockade ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry Lethal concentration of a substance in which it can be expected death of 50% of the LC50 population I D 5 0 Lethal dose of a substance in which it can be expected death of 50% of the population LOAEC Lowest observed adverse effect concentration I OAFI Lowest observed adverse effect level Octanol-water partition coefficient loa Kow MARPOL International Convention for the Prevention of Pollution From Ships NOAEC No observed adverse effect concentration NOAEL No observed adverse effect level NOEC No observed effect concentration NOEL No observed effect level OEL **Occupational Exposure Limits** Persistent, Bioaccumulative and Toxic PBT PNEC Predicted no-effect concentration ppm Parts per million REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Agreement on the transport of dangerous goods by rail UN Four-figure identification number of the substance or article taken from the UN Model Regulations UVCB Substances of unknown or variable composition, complex reaction products or biological materials VOC Volatile organic compounds vPvB Very Persistent and very Bioaccumulative Acute Tox. Acute toxicity Eye Dam. Serious eye damage Eve Irrit. Eve irritation Met. Corr. Corrosive to metals Skin Corr. Skin corrosion

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Skin Irrit.

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Skin irritation

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.