

## MUD OFF

### Safety Data Sheet

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** MUD OFF
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Ready to use product, designed for cleaning and nursing motorcycles, quads and off-road vehicles.
- 1.3 Details of the supplier of the safety data sheet:**  
  
TENZI Sp. z o.o.  
Skarbimierzyce 20  
72-002 Dołuje  
tel. +48 91 3119777  
fax. +48 91 3119779  
E-mail address for a competent person responsible for SDS: technolog@tenzi.pl
- 1.4 Emergency telephone number:**  
+48 91 31 19 777 (mon. - fri. 8am - 4pm) or 112.

#### SECTION 2. HAZARDS IDENTIFICATION

**2.1. Classification of the substance or mixture:**

**Classification according to Regulation (EC) No. 1272/2008:**

- Skin Irrit. 2 H315** – Causes skin irritation.  
**Eye Dam. 1 H318** – Causes serious eye damage.

**2.2. Label elements:**  
(According to 1272/2008/EC\*)

**Hazard symbols:**



**Signal words:**  
DANGER

**Hazard statements:**  
**H315** – Causes skin irritation.  
**H318** – Causes serious eye damage.

**Precautionary statements:**  
**P280** – Wear protective gloves/protective clothing/eye protection/face protection.  
**P305+P351+P338** – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P310** – Immediately call a POISON CENTER/doctor

**2.3. Other hazards:**  
Substance does not meet criteria for PBT or vPvB in accordance with Annex XIII of REACH Regulation.

## MUD OFF

### Safety Data Sheet

#### SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

**3.1. Substances:**  
Not applicable.

**3.2. Mixtures:**  
**Composition (according to: 648/2004/EC):**

- < 5% cationic surfactants
- < 5% non-ionic surfactants
- < 5% phosphates
- < 5% phosphonates
- auxiliary substances are not classified as dangerous

Identification	Hazardous ingredient/classification	Concentration
CAS: 7320-34-5 WE: 230-785-7 Index: Not applicable Registration: 01-2119489369-18-XXXX	<b>Phosphates</b>  Eye Irrit. 2 H319	< 3.5%
CAS: 141-43-5 WE: 205-483-3 Index: 603-030-00-8 Registration: 01-2119486455-28-XXXX	<b>2-hydroxy-ethylamine</b>  Acute Tox. 4 H302, Acute Tox. 4 H332, Acute Tox. 4 H312, Skin Corr. 1B H314, STOT SE 3 H335	< 2%
CAS: 160901-19-9 WE: 931-954-4 Index: Not applicable Registration: Not applicable (polymer)	<b>Alcohols, C12-13, branched and linear, ethoxylated</b>  Acute Tox. 4 H302, Eye Dam. 1 H318, Aquatic Chronic 3 H412	< 2%
CAS: 69011-36-5 WE: Polymer Index: Not applicable Registration: Not applicable (polymer)	<b>Isotridecanol, ethoxylated</b>  Acute Tox. 4 H302	< 2%

The full texts of H symbols and phrases are in section 16.

#### SECTION 4. FIRST AID MEASURES

**4.1. Description of first aid measures:**

**Inhalation:**

In case of inhalation poisoning symptoms (cough, dyspnea, dizziness) move the injured to fresh air.  
Lay him down in semi-recumbent posture, keep him warm and get medical attention.  
Physical effort may cause pulmonary edema.

**Skin contact:**

If product comes in contact with the skin, immediately remove all contaminated clothing and flush exposed area with large amounts of water. In case of skin changes or burns, get medical attention.

**Eye contact:**

Flush eyes with running water (at least 15 minutes) while keeping eyelids open. Get medical attention.

**Ingestion:**

## MUD OFF

### Safety Data Sheet

Wash your mouth with fresh water. Drink about 1-2 liters of it, do not induce vomiting and take activated charcoal if it's possible. Get medical attention and show him product's label. Do not give anything to unconscious person.

#### 4.2. Most important symptoms and effects, both acute and delayed:

**Inhalation:**

After long-term exposure without proper ventilation, it may cause irritation of the upper respiratory tract.

**Skin:**

Irritant.

**Eyes:**

Corrosive, causes severe eye burns, chemical conjunctivitis and corneal damage (redness, intense pain), possible irreversible impairment of vision or blindness.

**Ingestion:**

May cause irritation of the mucous membrane.

#### 4.3. Indication of any immediate medical attention and special treatment needed:

Get medical attention.

Fresh water and eye-wash preparations must be available on the worksite.

### SECTION 5. FIREFIGHTING MEASURES

#### 5.1. Extinguishing media:

**Suitable extinguishing media:**

Water, foam, extinguishing powder, and carbon dioxide.

**Unsuitable extinguishing media:**

Water jet.

#### 5.2. Special hazards arising from the substance or mixture:

Product is non-flammable.

#### 5.3. Advice for firefighters:

Firefighters should wear self-contained breathing apparatus and full protective clothing. In case of fire, warn the people nearby and evacuate unprotected and untrained personnel from hazard area. Notify relevant emergency services. If possible, remove the containers away from the influence of fire and high temperature. Water may be used to keep fire-exposed containers cool until fire is out. The after burning residues should be removed

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal precautions, protective equipment and emergency procedures:

**For non-emergency personnel:**

Protective chemical-proof gloves (0.11 mm thick), safety glasses.

**For emergency responders:**

Protective clothes, self-contained breathing apparatus, protective chemical-proof gloves (0.11 mm thick), safety glasses.

## MUD OFF

### Safety Data Sheet

Avoid skin and eye contact. Provide proper ventilation.

#### 6.2. Environmental precautions:

Avoid discharge into drains, watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up:

In case of unexpected release of the substance into the environment, inform appropriate services about the emergency and remove any source of ignition. Prevent spills from entering sewers, surface water or groundwater. If it is possible, confine and contain the spill by closing the flow of the liquid, plug the damaged container and put it into leakproof wrapping. For a larger spill, make a dike around the outside edges of the spill and use absorbent materials (sand, sawdust, minced limestone).

Store clean-up materials for disposal as hazardous waste. Decontaminate polluted area with water.

#### 6.4. Reference to other sections:

See section 8 and 13.

### SECTION 7. HANDLING AND STORAGE

#### 7.1. Precautions for safe handling:

Be careful when working with this product.

Use personal protection recommended in section 8

Mix only with water. DO NOT mix with any other chemical substances.

People with skin allergy or respiratory system problems should not have contact with this product.

Avoid risk – read this instruction sheet carefully before using the product.

After usage, keep container tightly closed and keep it away from unauthorized people.

Use only adequate ventilation to avoid inhalation poisoning.

#### 7.2. Conditions for safe storage, including any incompatibilities:

Store in a tightly closed, original plastic container. Store this product in a dry environment that will be maintained at 5°C - 35°C temperature with a good ventilation system and an easy washable, nonabsorbable alkaline resistant floor.

DO NOT expose the product to sunlight and keep away from heat, sparks, flame and source of ignition.

#### 7.3. Specific end use(s):

No data available.

### SECTION 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

#### 8.1. Control parameters:

Please check any national occupational exposure limit values in your country.

**NDS/NDSch/NDSP values for individual chemical substances (according to SDS or Chemical Safety Report):**

**Phosphates (data for highly concentrated substance):**

**NDS, NDSch, NDSP:** not identified.

**2-hydroxy-ethylamine (data for highly concentrated substance):**

**NDS:** 2.5 mg/m<sup>3</sup>

**NDSch:** 7.5 mg/m<sup>3</sup>

**NDSP:** not identified.

## MUD OFF

### Safety Data Sheet

**Alcohols, C12-13, branched and linear, ethoxylated (data for highly concentrated substance):**

**NDS, NDSch, NDSP:** not identified.

**Isotridecanol, ethoxylated (data for highly concentrated substance):**

**NDS, NDSch, NDSP:** not identified.

**DNEL /PNEC values for individual chemical substances (according to SDS or Chemical Safety Report):**

**Phosphates (data for highly concentrated substance):**

**DNEL, PNEC:** not identified.

**2-hydroxy-ethylamine (data for highly concentrated substance):**

**DNEL:**

Group: workers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect,	Value: 1 mg/kg
Group: workers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect,	Value: 3.3 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: dermal, Type of effect: systemic effect,	Value: 0.24 mg/kg
Group: consumers, Exposure time: long-term, Exposure route: inhalation, Type of effect: systemic effect,	Value: 2 mg/m <sup>3</sup>
Group: consumers, Exposure time: long-term, Exposure route: ingestion, Type of effect: systemic effect,	Value: 3.75 mg/kg

**PNEC:**

Aqua (fresh water):	0.085 mg/l
Aqua (marine water):	0.0085 mg/l
Sediment (fresh water):	0.425 mg/kg
Sediment (marine water):	0.0425 mg/kg
Sewage treatment plant:	100 mg/l
Intermittent release:	0.025 mg/l
Soil:	0.035 mg/kg

**Alcohols, C12-13, branched and linear, ethoxylated (data for highly concentrated substance):**

**DNEL, PNEC:** not identified.

**Isotridecanol, ethoxylated (data for highly concentrated substance):**

**DNEL, PNEC:** not identified.

**NOTE:** When the concentration of substance is known, personal protective equipment should be chosen based on substance concentration in a workplace, exposure time and operations performed by the employee. In emergency situations, if substance concentration in the workplace is unknown, personal protection of highest class level should be used.

#### 8.2. Exposure controls:

**RESPIRATORY PROTECTION:**

In case of insufficient ventilation and long-time exposure to the product, it is advised to wear masks with gas and vapour protection.

**HAND PROTECTION:**

Protective gloves resistant to alkaline chemicals.  
0.11 mm thick.

**EYE/FACE PROTECTION:**

Safety glasses. In case of possible contact with the skin, use face shield.

## MUD OFF

### Safety Data Sheet

**SKIN PROTECTION:**

Protective clothes.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties:**

<b>Appearance:</b>	Pink/red coloured liquid
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	No data available
<b>pH:</b>	11 ± 1
<b>Melting point:</b>	No data available
<b>Freezing point:</b>	No data available
<b>Initial boiling point:</b>	No data available
<b>Boiling range:</b>	No data available
<b>Flash point:</b>	No data available
<b>Evaporation rate:</b>	No data available
<b>Flammability (solid, gas):</b>	No data available
<b>Upper flammability limit:</b>	No data available
<b>Lower flammability limit:</b>	No data available
<b>Upper explosive limit:</b>	No data available
<b>Lower explosive limit:</b>	No data available
<b>Vapour pressure:</b>	No data available
<b>Vapour density:</b>	No data available
<b>Relative density:</b>	1.055 ± 0.020 g/cm <sup>3</sup>

**Solubility:**

<b>A) Water:</b>	soluble
<b>B) Organic solvent:</b>	No data available

<b>Partition coefficient N-Octan:</b>	No data available
<b>Partition coefficient Water:</b>	No data available
<b>Auto-ignition temperature:</b>	No data available
<b>Decomposition temperature:</b>	No data available
<b>Viscosity:</b>	No data available
<b>Explosive properties:</b>	No data available
<b>Oxidising properties:</b>	No data available

**9.2. Other information:**

**Refractive index:** 18% Brix<sup>\*</sup> ± 5%

<sup>\*</sup> - Degrees Brix is the content of an aqueous solution. One degree Brix is 1 gram of sucrose in 100 grams of solution and represents the strength of the solution as percentage by weight (%w/w).

#### SECTION 10. STABILITY AND REACTIVITY

**10.1 Reactivity:**

No data available.

**10.2 Chemical stability:**

## MUD OFF

### Safety Data Sheet

Stable under recommended storage conditions (see section 7).

#### 10.3 Possibility of hazardous reactions:

May fiercely react with acids.

#### 10.4 Conditions to avoid:

Avoid heavily warmed rooms without ventilation and long-term exposure to sunlight.

#### 10.5 Incompatible materials:

Acids, strong oxidants.

#### 10.6 Hazardous decomposition products:

No data available.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects:

##### ACUTE TOXICITY:

**Inhalation:** after long-term exposure without proper ventilation, it may cause irritation of the upper respiratory tract.

**Skin contact:** irritates skin.

**Eye contact:** causes serious eye damage.

**Digestive system:** may cause irritation of the mucous membrane after swallowing.

ATEmix = 10 783 (acute toxicity, orally)

ATEmix = 125 829 (acute toxicity, dermal)

ATEmix = 65.32 (acute toxicity, inhalation)

##### DETAILS OF PARTICULAR COMPONENTS (according to substance's SDS):

##### Phosphates (data for highly concentrated substance):

**LD50:** >2000 mg/kg (mouse, orally)

##### 2-hydroxy-ethylamine (data for highly concentrated substance):

**LD50:** 1515 mg/kg (rat, orally) (OECD 401)

**LC50:** >1.3 mg/l/6h (rat, inhalation)

**LD50:** 2504 mg/kg (dermal) (OECD 402)

Skin irritation (rabbit) (OECD 404)

Serious eye irritation (rabbit) (OECD 405)

No allergic effect (guinea pig) (OECD 406)

##### Teratogenicity:

No distortions.

##### Reproductive toxicity:

The actual product wasn't tested. Following statements are based on products with similar structure.

After high enough dosage, we cannot exclude potential side effects that may cause fertility problems or other harmful effects on human body.

##### Alcohols, C12-13, branched and linear, ethoxylated (data for highly concentrated substance):

## MUD OFF

### Safety Data Sheet

**LD50:** > 300-2000 mg/kg (rat, orally)  
**LD50:** > 2000 mg/kg (rabbit, dermal)

No skin irritation effect (rabbit)

#### **Isotridecanol, ethoxylated (data for highly concentrated substance):**

**LD50:** > 500-2000 mg/kg (rat, orally)

Harmful after ingestion.

May cause burns in mouth, throat and stomach.

May exhale gases, fumes and dust that are highly irritating to respiratory system.

Causes serious eye damage.

## SECTION 12. ECOLOGICAL INFORMATION

### **12.1. Toxicity:**

#### **Data for the mixture ingredients:**

##### **Phosphates (data for highly concentrated substance):**

**LC0:** 750 mg/l/48h

##### **2-hydroxy-ethylamine (data for highly concentrated substance):**

<b>LC50:</b>	349 mg/l/96h	(fish, Cyprinus carpio)	(semi-static)
<b>LC50:</b>	170 mg/l/96h	(fish, Carassius auratus)	(static)
<b>EC50:</b>	65 mg/l/48h	(daphnia, Daphnia magna)	(static)
<b>EC50:</b>	2.5 mg/l/72h	(algae, Selenastrum capricornutum)	(growth degree, OECD 201)
<b>EC50:</b>	22 mg/l/72h	(algae, Scendesmus subspicatus)	(growth degree)

Toxic to aqua organisms.

##### **Alcohols, C12-13, branched and linear, ethoxylated (data for highly concentrated substance):**

<b>LC50:</b>	> 1-10 mg/l/96h	(fish, Cyprinus carpio)	(OECD 203)
<b>EC10:</b>	0.21 mg/l	(golden fish)	
<b>EC50:</b>	> 1-10 mg/l/48h	(daphnia, Daphnia magna)	(OECD 202)
<b>EC10:</b>	0.36 mg/l/72h	(daphnia, Daphnia magna)	
<b>EC50:</b>	> 1-10 mg/l/72h	(algae, Desmodesmus subspicatus)	(OECD 201)
<b>EC50:</b>	140 mg/l	(bacteria)	
<b>NOEC:</b>	10 mg/kg	(garden cress)	

##### **Isotridecanol, ethoxylated (data for highly concentrated substance):**

No data available.

### **12.2. Persistence and degradability:**

The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents.

#### **Data for the mixture ingredients:**

## MUD OFF

### Safety Data Sheet

Substance	Method	Length	Degraded percentage
Phosphates	No data available	No data available	No data available
2-hydroxy-ethylamine	OECD 301 A	21 days	> 90%
Alcohols, C12-13, branched and linear, ethoxylated	OECD 301 B	28 days	> 60%
Isotridecanol, ethoxylated	OECD 301 D	28 days	85,6%

#### 12.3. Bioaccumulative potential:

Bioaccumulation is incredible.  
Data based on mixture ingredients.

#### 12.4. Mobility in soil

The product is water soluble and may sink into groundwater systems.

#### 12.5. Results of PBT and vPvB assessment:

This substance/mixture does not meet the PBT and vPvB criteria of REACH, annex XIII..

#### 12.6. Other adverse effects:

No data available.

### SECTION 13. DISPOSAL CONSIDERATIONS

#### RESIDUES AND WASTES:

DO NOT mix with other liquid wastes.  
DO NOT empty into sewage system. Product should be totally used up according to its description.  
If it's impossible to do so, dispose of this material and its container at hazardous or special waste collection point.

#### 13.1. Waste treatment methods:

Contaminated containers should be completely emptied. Several times rinse the container promptly after emptying. Empty container can be stored in containers for collection of plastic packaging, or can be delivered to specialized company for recycling.

Disposal should be in accordance with the national/international regulations.

### SECTION 14. TRANSPORT INFORMATION

#### TRADE NAME: MUD OFF

- 14.1. UN Number: Not applicable.  
14.2. UN proper shipping name: Not applicable.  
14.3. Transport hazard class(es): Not applicable.  
14.4. Packing group: Not applicable.  
14.5. Environmental hazards: No.  
14.6. Special precautions for user: For more details see Sections 6 and 8.  
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: No data available.

## MUD OFF

### Safety Data Sheet

**WARNING LABELS**  
not applicable

#### SECTION 15. REGULATORY INFORMATION

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

DIRECTIVE 2008/112/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Council Directives 76/768/EEC, 88/378/EEC, 1999/13/EC and Directives 2000/53/EC, 2002/96/EC and 2004/42/EC of the European Parliament and of the Council in order to adapt them to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

COMMISSION REGULATION (EU) No 758/2013 of 7 August 2013 correcting Annex VI to Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures

DIRECTIVE 2014/27/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 26 February 2014 amending Council Directives 92/58/EEC, 92/85/EEC, 94/33/EC, 98/24/EC and Directive 2004/37/EC of the European Parliament and of the Council, in order to align them to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

REGULATION (EC) No 1336/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 amending Regulation (EC) No 648/2004 in order to adapt it to Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

REGULATION (EC) No 273/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 11 February 2004 on drug precursors.

##### 15.2. Chemical safety assessment

###### For mixture:

A Chemical Safety Assessment has not been carried out.

###### For following mixture substances:

**Phosphates:** Substance initially registered with interim.

**2-hydroxy-ethylamine:** A Chemical Safety Assessment has been carried out.

**Alcohols, C12-13, branched and linear, ethoxylated:** Not applicable.

**Isotridecanol, ethoxylated:** Not applicable.

## MUD OFF

### Safety Data Sheet

#### SECTION 16. OTHER INFORMATION

Information above is based on current knowledge of product in its current form.

All data are presented in order to take into account safety requirements priority and not to guarantee special properties of the product. If product usage conditions are not under manufacturer control, responsibility for safe use lies with the person that uses them. The employer is obliged to inform all employees, who have contact with the product, about the risk and safety measures specified in the data sheet. Safety data presented above were prepared based on safety characteristics of substances used by the producer to compose the product and based on regulations for handling dangerous substances and their preparation. Classification of chemical mixture was done with calculation methods, based on the content of hazardous ingredients.

**The full list of symbols and H phrases from Section 2 and 3:**

- |                          |  |
|--------------------------|--|
| <b>Aquatic Chronic 3</b> | – Hazardous to the aquatic environment - Chronic Hazard, category 3. |
| <b>Eye Dam. 1</b>        | – Serious eye damage, category 1.                                    |
| <b>Eye Irrit. 2</b>      | – Causes serious eye irritation, category 2.                         |
| <b>Skin Corr. 1B</b>     | – Corrosive to skin, category 1B                                     |
| <b>Acute Tox. 4</b>      | – Acute toxicity, category 4.  |
| <b>STOT SE 3</b>         | – Specific target organ toxicity - Single exposure STOT, category 3. |

- |             |  |
|-------------|--|
| <b>H302</b> | – Harmful if swallowed.                              |
| <b>H312</b> | – Harmful in contact with skin.                      |
| <b>H314</b> | – Causes severe skin burns and eye damage.           |
| <b>H318</b> | – Causes serious eye damage.                         |
| <b>H319</b> | – Causes serious eye irritation.                     |
| <b>H332</b> | – Harmful if inhaled.                                |
| <b>H335</b> | – May cause respiratory irritation.                  |
| <b>H412</b> | – Harmful to aquatic life with long lasting effects. |

More information on the product can be found on the specific technical data sheet which is available on [www.tenzi.pl](http://www.tenzi.pl)

**Training:**

Course participants should be trained about how to handle this hazardous substance, about safety and work hygiene. Drivers should also be trained and obtain proper certification in accordance with the ADR requirements.

**Expiry date:**

36 months from the production date (if product is stored according to the producent recommendations)

This Safety Data Sheet contains 11 pages. Changes in the content by unauthorized people is prohibited.